



©VELO 2025 OEM Product Guide

2025

OEM

Products

Guide

Tailored solutions designed
to meet the unique needs
of every bicycle.



LETTER

LETTER FROM STELLA

Dear Valued Customers,

Boasting a rich legacy spanning 45 years, VELO Enterprise Co., Ltd. based in Taiwan specializes in manufacturing premium bicycle saddles, grips, handlebar tapes, unique injection frames, battery covers, chain stay protectors and customized products. VELO has played a significant role in the burgeoning market for components related to E-BIKE, E-CARGO, and E-MOTORS.

In addition to our headquarters in Taiwan, VELO proudly operates two state-of-the-art manufacturing facilities in China (Kunshan & Shenzhen) and our newest facility in Ho Chi Minh City, Vietnam. These strategically positioned manufacturing facilities optimize our capacity to deliver products seamlessly to our valued customers.

VELO is a proud and active member of the Taiwan BAS (Bicycling Alliance for Sustainability), and we are continuously advancing our commitment to ESG (Environmental, Social, and Governance) principles. We are actively engaged in incorporating natural raw materials, recycled materials, and biomass materials into our range of products.

In the current global landscape, environmental preservation is a paramount concern for all. VELO considers itself fortunate to be an integral part of the bicycle industry, a sector synonymous with sustainability. Our affiliation with Taiwan BAS highlights our commitment to advocating sustainability and upholding ESG practices.

We strive to uphold ESG policies by establishing annual objectives for energy consumption reduction and investing in green energy equipment. Furthermore, we embrace the use of natural, recycled, and biomass materials in our production, varying the composition based on safety, functionality, comfort, low carbon emissions, and aesthetics for each specific product. This is an ongoing commitment at VELO and we are steadfast in our efforts to further this cause.

The utilization of these eco-friendly materials varies across our product range, guided by considerations such as safety, functionality, comfort, low carbon emissions, and aesthetics. VELO is eager to provide you with detailed information on samples featuring the materials mentioned above. Your valuable feedback and suggestions are always welcomed as they assist us in continually improving and aligning with your expectations.

We appreciate your ongoing support and look forward to working with you.

Best regards,



CONTENT

SADDLES

07	Saddles System
12	Aesthetic
14	Competition
17	Performance
18	Sports
22	Women
24	Junior
27	Comfort/City
30	Pivotal/Tripod/BMX
32	Cruiser
33	V-form
39	Vintage

GRIPS

42	Clamp
49	Comfort
52	Microtech
54	Cover
57	Foam
60	Silicone
62	Mountain Bike
65	BMX
67	Junior


TAPE

71	1000 Classic
71	2000 Leather-Looking
72	3000 Hybrid/Two-Tone+
73	5000 Anti-Slip
74	6000 Silicone
75	7000 Other
75	8000 ET Tape

OTHERS

76	Others
77	Saddle Covers
80	Plugs
83	Chain Stay Protectors
85	Pivotal Seatposts
86	Packagin & Shipping

VELO ATMOS FOAM



Velo's new AtmosFoam, a nitrogen-infused foam designed to enhance performance and durability while minimizing the production process's environmental impact. AtmosFoam is lightweight and provides incredible support for the rider's sit bones, improving comfort and performance.



3D PRINTING



3D printing is a revolutionary, and innovative technology. It has been applied to padding of saddles for few years.

This technology disrupted the traditional molding process, it is made by digital file and 3D printed lattice structure can create unique design for the saddle. Well-designed 3D printed lattice can also provide multiple densities feeling by adjusting thickness of layers or varying lattice structure.

Openwork lattices allows air flow and cool down the saddle fast while riding. 3D printing saddle is a modern way to produce a bicycle saddle's padding than traditional one.

WING BOW



Utilizing a bow-shaped structure that sits under the base, creating no harsh or uncomfortable ride feel. The wing provides progressively more resistance and a firmer flex as the saddle moves through its movement. This means that small vibrations can be accommodated for just as well as bigger hits like potholes and curbs.

Using this secondary support structure, the Wing Bow technology allows the saddles to maintain their desirable cushioning properties across a range of conditions. The application for this saddle is intended both for traditional recreation and commuter cyclists, but also e-bike riders, who are likely to encounter road damage and other hazards at a higher rate of speed.




V MOUNT



The vMount technology enables cyclists to easily attach accessories such as bags or lights at the rear of the saddle.

ZONE CUT



The opening in the base of the saddle relieves pressure on the body's most sensitive area.



ATMOS SHAPING

Atoms Shaping is patented proprietary technology that gives a saddle sleek finishing without visible seam between the cover and the base. In addition, this innovative technology also ensures 100% waterproof feature, providing the best convenience for cleaning and maintenance after use.




REVERSED ARCTECH

A suspension system specially designed for mountain biking, with a base that swings with the cyclist during fast turns, while also relieving pressure on the riding posture.



Y SHAPE

A patented Y-shaped cut out on shell provides the comfort and flexibility to rider's seat bone. The Y-shape also increases the overall ventilation and relieves pressure.



I CARRY

In the new product line extension, Velo embellished their well-established ebike/city/trekking saddles collection with integrated "I Carry". It is the main means by which riders can easily carry their bikes.





Bioplastic

EuphoraBase shell, a non-petroleum-based hybrid bioplastic using plant-based materials and glass fiber.

ETPU Materials



ETPU is produced by heating and expanding thermoplastic polyurethane pellets under pressure, resulting in a lightweight and flexible foam that compresses and rebounds quickly.



PIR/PCR/GRS materials

Foam Recycling:

Velo has developed a process to minimize foam waste by implementing a recycling method all done in-house to re-purpose foam pieces into saddles, grips, bar tapes and parts production.

Recycled Plastic:

Mold-recycled grip core production has eliminated wastes going to landfills and efficiently controls materials costs with no loss in the quality of the final product.

Cover recycling:

GRS4.0 certified Cover: ≥50% recycled material. The new Omni saddle cover utilizes recycled knitted fabric instead of microfiber substrates.

Metal recycling:

35~45% PIR rails for steel and CR-MO

As a permanent material which can be recycled over and over again without losing its properties, steel can be used for as long as possible and reduce the burden on nature.



Foam Recycling

Velo has developed a process to minimize foam waste by implementing a recycling method all done in-house to re-purpose foam pieces into saddles grips, bar tapes and parts production.



Recycled Plastic

Mold-recycled grip core production has eliminated wastes going to landfills and efficiently controls materials costs with no loss in the quality of the final product.




Cover Recycling

GRS4.0 certified Cover: ≥50% recycled material.
The new Omni saddle cover utilizes recycled knitted fabric instead of microfiber substrates.



Metal Recycling

35~45% PIR rails for steel and CR-MO
As a permanent material which can be recycled over and over again without losing its properties, steel can be used for as long as possible and reduce the burden on nature.



RECYCLE

SADDLES

AESTHETIC SERIES



VL-1C29
P.12



VL-1B96
P.12



VL-1A57
P.12



VL-1A37
P.12



VL-1A81
P.12



VL-1684
P.12



VL-1747
P.12



VL-1963
P.12



VL-1A03
P.12



VL-1A63
P.12



VL-1776
P.12



VL-4365
P.13



VL-4393
P.13



VL-6441
P.13



VL-6311
P.13



VL-6319
P.13



VL-5138
P.13



VL-5119
P.13

FAMILY SERIES



FAMILY SERIES



VL-1C54
P.14



VL-1C53
P.14



VL-1C52
P.14



VL-1C50
P.14



VL-1C58
VL-1C51
P.15



VL-1C22
VL-1C28
P.15



VL-3654
P.18



VL-3644
P.18



VL-6580
P.27



VL-6581
P.27



VL-6582
P.27



VL-6574
P.38



VL-1A39



VL-1A36
P.15



VL-4432
P.22



VL-1863
P.16



VL-1862
P.16



VL-4378
P.22



VL-4376
P.22



VL-1782
P.16



VL-1799
P.16



VL-3475
P.19



VL-3593
P.19



VL-3594
P.19



VL-3586
P.19



VL-3450
P.19

FAMILY SERIES



VL-1A66
P.16



VL-3530
P.21



VL-3517
P.21



VL-4437
P.22



VL-6417
P.28



VL-6335



VL-6336
P.28



VL-8128E



VL-8127E
P.32



VL-8033E
P.32



VL-3381
P.20



VL-3446
P.20



VL-3389
P.20



VL-3410
P.20



VL-3630
P.20



VL-3631
P.20



VL-4333
P.22



VL-4358
P.22



VL-6309
P.29



VL-6317
P.29



VL-6310
P.29



VL-6318
P.29



VL-6395
P.28

FAMILY SERIESVL-1A64
P.33VL-1A65
P.33VL-3533
P.34VL-3633
P.34VL-3534
P.34VL-3632
P.34VL-6469
P.37VL-6571
P.37VL-6470
P.38VL-6570
P.38VL-3538
P.35VL-3539
P.35VL-3540
P.35VL-6487
P.38VL-6488
P.38WINGBOW SERIESVL-3447
P.34VL-3497
P.34VL-3502
P.34VL-6434
P.37VL-6450
P.37VL-3465
P.34VL-6391
P.37



VL-1C29 **NEW**

VL-1B96 **Y-Cut**



Base	• Nylon Fiber Injection
Fill	• VL-1C29/Super Light Foam • VL-1B96/VAF
Rail	• CrN / Ti Alloy • SS Rail
Key Point	• Light Weight • ArcTech • Y-Cut
Weight	231g
Size	248x148mm

*Graphic design is available as shown above, with color change only.



VL-1A57 **NEW**

VL-1A37 **Y-Cut**



Base	• Carbon
Fill	• Super Light Foam
Rail	• Carbon • CrN / Ti Alloy
Key Point	• ArcTech • Y-Cut • Light Weight
Weight	179g
Size	241x143mm

*Graphic design is available as shown above, with color change only.



VL-1A81 **Y-Cut**

VL-1684 **Y-Cut**



Base	• Carbon
Fill	• Super Light Foam
Rail	• Carbon • CrN / Ti Alloy
Key Point	• ArcTech • Y-Cut • Light Weight
Weight	127g
Size	275x128mm

*Graphic design is available as shown above, with color change only.



VL-1747



Base	• Carbon Fiber Injection
Fill	• Air Form
Rail	• Carbon • CrN / Ti Alloy • SS Rail
Key Point	• ArcTech • Y-Cut • Atmos Shaping
Weight	213g
Size	273x128mm

*Graphic design is available as shown above, with color change only.



VL-1A63

VL-1776 **Y-Cut**



Base	• Carbon Fiber Injection
Fill	• Air Form
Rail	• Carbon • CrN / Ti Alloy • SS Rail
Key Point	• ArcTech • Y-Cut • Atmos Shaping
Weight	228g
Size	272x143mm

*Graphic design is available as shown above, with color change only.



VL-1A03 **Y-Cut**

VL-1963 **Y-Cut**



Base	• Carbon
Fill	• Super Light Foam
Rail	• Carbon
Key Point	• ArcTech • Y-Cut • Light Weight
Weight	142g
Size	265x143mm

*Graphic design is available as shown above, with color change only.



VL-6441

VL-6311

Y-Cut



Base	• Single Density
Fill	• Air Form • High Density
Rail	• Steel
Key Point	• ArcTech • Y-Cut • I Carry • Atmos Shaping
Weight	383g Size 264x175mm

*Graphic design is available as shown above, with color change only.



VL-6319



Base	• Single Density
Fill	• AirForm • High Density
Rail	• Steel
Key Point	• ArcTech • Y-Cut • I Carry • Atmos Shaping
Weight	408g Size 262x193mm

*Graphic design is available as shown above, with color change only.



VL-5138

VL-5119

Y-Cut



Base	• Single Density
Fill	• VL-5119/AirForm • VL-5138/High Density
Rail	• Steel
Key Point	• I Carry • ArcTech • Y-Cut • VL-5138/Atmos Shaping • VL-5119/V-Form
Weight	229g Size 194x137mm (12")

*Graphic design is available as shown above, with color change only.



VL-4365

ANGEL VELO



Base	• Carbon Fiber Injection • Nylon Fiber Injection
Fill	• Air Form
Rail	• Carbon • CrN / Ti Alloy • SS Rail
Key Point	• ArcTech • Y-Cut • Atmos Shaping
Weight	225g Size 256x143mm

*Graphic design is available as shown above, with color change only.



VL-4393

ANGEL VELO



Base	• Carbon Fiber Injection • Nylon Fiber Injection
Fill	• AirForm
Rail	• Carbon • CrN / Ti Alloy • SS Rail
Key Point	• ArcTech • Y-Cut • Atmos Shaping
Weight	245g Size 256x155mm

*Graphic design is available as shown above, with color change only.



VL-5138

VL-5119

Y-Cut



Base	• Single Density
Fill	• VL-5119/AirForm • VL-5138/High Density
Rail	• Steel
Key Point	• I Carry • ArcTech • Y-Cut • VL-5138/Atmos Shaping • VL-5119/V-Form
Weight	229g Size 194x137mm (12")

*Graphic design is available as shown above, with color change only.

VL-1C55 **NEW**

Base	• Single Density
Fill	• 3D Print Lattice
Rail	• SS Rail
Key Point	• ArcTech • Zone Cut • 3D Print Lattice
Weight	Size 255x146mm

VL-1C49 **NEW**


Base	• Nylon Fiber Injection
Fill	• Light Foam
Rail	• CrN / Ti Alloy • Chromoly • Steel
Key Point	• ArcTech • Atmos Shaping
Weight	Size 243x143mm

VL-1C53 **NEW**VL-1C54 **Zone Cut**

Base	• Single Density
Fill	• Light Foam
Rail	• Chromoly • Steel
Key Point	• ArcTech • I Carry • Zone Cut • Atmos Shaping
Weight	Size 255x146mm

VL-1C47 **NEW**

Base	• Nylon Fiber Injection
Fill	• Light Foam
Rail	• Chromoly • Steel
Key Point	• Zone Cut
Weight	290g Size 249x136mm

VL-1C50 **NEW**VL-1C52 **Zone Cut**

Base	• Single Density
Fill	• Light Foam
Rail	• Chromoly • Steel
Key Point	• ArcTech • I Carry • Zone Cut • Atmos Shaping
Weight	Size 255x146mm

VL-1C46 **NEW**

Base	• Nylon Fiber Injection
Fill	• Light Foam
Rail	• Chromoly • Steel
Key Point	• ArcTech • Atmos Shaping • Zone Cut
Weight	Size 242x141mm



VL-1C51 **NEW**

VL-1C58 **Zone Cut**

Base • Single Density
Fill • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut
Weight 298g Size 256x155mm



VL-1C27

Base • Nylon Fiber Injection
Fill • AirForm
Rail • CrN / Ti Alloy • Chromoly • Steel
Key Point • ArcTech • Atmos Shaping
Weight 269g Size 242x155mm



VL-1C28

VL-1C22 **Zone Cut**



Base • Single Density
Fill • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut
Weight 278g Size 255x145mm



VL-1A47

Base • Nylon Fiber Injection
Fill • Air Form
Rail • CrN / Ti Alloy • Chromoly • Steel
Key Point • ArcTech • Atmos Shaping
Weight 246g Size 242x142mm



VL-1C57 **NEW**



Base • Single Density
Fill • AirForm
Rail • Chromoly • Steel
Key Point • ArcTech • I Carry • Zone Cut
Weight 290g Size 252x142mm



VL-1A36

Base • Carbon Fiber Injection • Nylon Fiber Injection
Fill • AirForm
Rail • Carbon • CrN / Ti Alloy • Chromoly
Key Point • ArcTech • Atmos Shaping
Weight 288g Size 284x143mm





VL-1A85


VL-1966

Zone Cut



Base	• Carbon Fiber Injection • Nylon Fiber Injection
Fill	• Light Foam
Rail	• Carbon • CrN / Ti Alloy • SS Rail
Key Point	• ArcTech • Zone Cut

Weight 249g Size 244x148mm



VL-1863

VL-1862

Zone Cut



Base	• Carbon Fiber Injection • Nylon Fiber Injection
Fill	• Air Form
Rail	• Carbon • CrN / Ti Alloy • Chromoly
Key Point	• ArcTech • Zone Cut • Atoms Shaping

Weight 242g Size 279x134mm



VL-1A86

VL-1A04

Zone Cut



Base	• Carbon Fiber Injection • Nylon Fiber Injection
Fill	• Light Foam
Rail	• Carbon • CrN / Ti Alloy • SS Rail
Key Point	• ArcTech • Zone Cut

Weight 260g Size 243x155mm



VL-1B12



Base	• Single Density
Fill	• High Density
Rail	• Chromoly • Steel
Key Point	• ArcTech • Zone Cut

Weight 308g Size 273x143mm



VL-1782

VL-1799

Zone Cut



Base	• Carbon Fiber Injection • Nylon Fiber Injection
Fill	• Air Form
Rail	• Carbon • CrN / Ti Alloy • Chromoly
Key Point	• ArcTech • Zone Cut • Atmos Shaping

Weight 242g Size 280x140mm



VL-1A66




Base	• Nylon Fiber Injection
Fill	• High Density
Rail	• Chromoly • Steel
Key Point	• ArcTech • Zone Cut

Weight 256g Size 280x136mm



VL-2378



Base • Carbon Fiber Injection • Nylon Fiber Injection
Fill • AirForm
Rail • Carbon • CrN / Ti Alloy • SS Rail
Key Point • ArcTech • Zone Cut
Weight 265g **Size** 242x145mm



VL-2244



Base • Carbon Fiber Injection • Nylon Fiber Injection
Fill • Light Foam • High Density
Rail • CrN / Ti Alloy • Chromoly • Steel
Key Point • ArcTech
Weight 291g **Size** 260x134mm



VL-2416

VL-2379 **Zone Cut**

Base • Carbon Fiber Injection • Nylon Fiber Injection
Fill • AirForm
Rail • Carbon • CrN / Ti Alloy • SS Rail
Key Point • ArcTech • Zone Cut
Weight 275g **Size** 245x145mm



VL-2341

Base • Nylon Fiber Injection
Fill • High Density
Rail • Pivotal Mount
Weight 258g **Size** 255x132mm



VL-3569

VL-3641

NEW



Base • Single Density
Fill • AirForm
Rail • Chromoly • Steel
Key Point • Reversed ArcTech • Atmos Shaping • I Carry
Weight 307g **Size** 253x143mm



VL-3627



Base • Single Density
Fill • AirForm
Rail • Chromoly • Steel
Key Point • ArcTech • Atmos Shaping • I Carry
Weight 361g **Size** 254x149mm



VL-3575



Base • Single Density
Fill • AirForm
Rail • Chromoly • Steel
Key Point • Reversed ArcTech • Atmos Shaping • I Carry
Weight 326g **Size** 252x146mm



VL-3628

VL-3639

NEW



Base • Single Density
Fill • AirForm
Rail • Chromoly • Steel
Key Point • Zone Cut • Atmos Shaping • I Carry
Weight 355g **Size** 262x162mm



VL-3634

NEW



Base • Single Density
Fill • AirForm
Rail • Chromoly • Steel
Key Point • Reversed ArcTech • Atmos Shaping • I Carry
Weight 301g **Size** 253x143mm



VL-3644

VL-3654

Zone Cut

NEW



Base • Single Density
Fill • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut
Weight 306g **Size** 258x152mm



VL-3475



Base • Nylon Fiber Injection
Fill • AirForm
Rail • Chromoly • Steel
Key Point • Reversed ArcTech • Atmos Shaping • I Carry
Weight 322g **Size** 270x144mm



VL-3594



Base • Nylon Fiber Injection
Fill • AirForm
Rail • Chromoly • Steel
Key Point • Reversed ArcTech • Atmos Shaping • I Carry
Weight 323g **Size** 270x165mm

VL-3586
VL-3450

Zone Cut



Base • Nylon Fiber Injection
Fill • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut
Weight 305g **Size** 275x152mm




VL-3516



Base • Nylon Fiber Injection
Fill • AirForm
Rail • Chromoly • Steel
Key Point • Reversed ArcTech • Atmos Shaping • I carry
Weight 300g **Size** 269x155mm



VL-3593



Base • Nylon Fiber Injection
Fill • AirForm
Rail • Chromoly • Steel
Key Point • Reversed ArcTech • Atmos Shaping • I carry
Weight 322g **Size** 270x155mm



VL-3564



Base • Nylon Fiber Injection
Fill • AirForm
Rail • Chromoly • Steel
Key Point • Reversed ArcTech • Atmos Shaping • I Carry
Weight 336g **Size** 270x165mm



VL-3378

VL-3447

Zone Cut



Base	• Single Density
Fill	• Light Foam • High Density
Rail	• CrN / Ti Alloy • Chromoly • Steel
Key Point	• ArcTech • Zone Cut • V Mount


Weight 305g Size 271x145mm



VL-3379

VL-3448

Zone Cut



Base	• Single Density
Fill	• Light Foam • High Density
Rail	• CrN / Ti Alloy • Chromoly • Steel
Key Point	• ArcTech • Zone Cut • V Mount

Weight 313g Size 270x152mm



VL-3381

VL-3446

Zone Cut



Base	• Single Density
Fill	• Light Foam • High Density
Rail	• CrN / Ti Alloy • Chromoly • Steel
Key Point	• ArcTech • Zone Cut • V Mount

Weight 287g Size 280x148mm



VL-3389

VL-3410

Zone Cut



Base	• Single Density
Fill	• Light Foam • High Density
Rail	• CrN / Ti Alloy • Chromoly • Steel
Key Point	• ArcTech • Zone Cut • V Mount

Weight 314g Size 278x157mm



VL-3630



Base	• Single Density
Fill	• Light Foam • High Density
Rail	• CrN / Ti Alloy • Chromoly • Steel
Key Point	• ArcTech • Zone Cut • V Mount

Weight 281g Size 263x145mm



VL-3631



Base	• Single Density
Fill	• Light Foam • High Density
Rail	• CrN / Ti Alloy • Chromoly • Steel
Key Point	• ArcTech • Zone Cut • V Mount

Weight 312g Size 264x154mm



VL-3517



Base • Double Density
Fill • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut • U Carry
Weight 384g **Size** 276x166mm



VL-3530



Base • Single Density
Fill • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut • U Carry
Weight 244g **Size** 276x153mm



VL-3126



Base • Double Density
Fill • Light Foam • Gel Padding • High Density
Rail • CrN / Ti Alloy • Chromoly • Steel
Key Point • ArcTech • Zone Cut
Weight 406g **Size** 270x170mm



VL-3528

VL-3515

Zone Cut



Base • Double Density
Fill • AirForm
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut
Weight 287g **Size** 242x135mm



VL-3579



Base • Double Density
Fill • Super Light Foam
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut
Weight 229g **Size** 243x133mm



VL-3613

NEW



Base • Double Density
Fill • Super Light Foam
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut
Weight 265g **Size** 243x143mm



VL-4494



Base • Single Density
Fill • AirForm
Rail • Chromoly • Steel
Key Point • ArcTech • Atmos Shaping • I Carry
Weight 352g **Size** 254x162mm



VL-4437



Base • Single Density
Fill • High Density
Rail • CrN / Ti Alloy • Chromoly • Steel
Key Point • ArcTech • Zone Cut • U Carry
Weight 371g **Size** 245x165mm

VL-4333
VL-4358

Zone Cut



Base • Single Density
Fill • Light Foam • High Density
Rail • CrN / Ti Alloy • Chromoly • Steel
Key Point • ArcTech • Zone Cut • V Mount
Weight 347g **Size** 278x165mm

VL-4470
VL-4492

Zone Cut



Base • Single Density
Fill • High Density
Rail • CrN / Ti Alloy • Chromoly • Steel
Key Point • ArcTech • Zone Cut
Weight 302g **Size** 270x151mm



VL-4432



Base • Carbon Fiber Injection • Nylon Fiber Injection
Fill • AirForm
Rail • Carbon • CrN / Ti Alloy • Chromoly • Steel
Key Point • ArcTech • Atmos Shaping
Weight 294g **Size** 267x151mm

VL-4376
VL-4378

Zone Cut



Base • Carbon Fiber Injection • Nylon Fiber Injection
Fill • AirForm
Rail • Carbon • CrN / Ti Alloy • Chromoly • Steel
Key Point • ArcTech • Zone Cut • Atmos Shaping
Weight 277g **Size** 266x149mm



VL-4496

NEW



Base • Double Density
Fill • High Density
Rail • Chromoly • Steel
Key Point • ArcTech
Weight 365g **Size** 274x151mm



VL-4495

NEW



Base • Single Density
Fill • Light Foam • High Density
Rail • CrN / Ti Alloy • Chromoly • Steel
Key Point • Zone Cut • ArcTech • V Mount
Weight 370g **Size** 268x162mm




VL-4216



Base • Double Density Nylon Fiber Injection
Fill • Light Foam • High Density
Rail • CrN / Ti Alloy • Chromoly
Key Point • ArcTech • Zone Cut • FlexEdge
Weight 339g **Size** 274x137 mm



VL-4252



Base • Double Density
Fill • Light Foam • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut
Weight 384g **Size** 264x165 mm



VL-4190



Base • Double Density
Fill • Light Foam • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut
Weight 365g **Size** 255x175mm



VL-4098



Base • Double Density
Fill • Light Foam • High Density • Memory Foam
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut
Weight 402g **Size** 248x167mm



VL-5020

12"-16"

Base • Single Density
Fill • Light Foam • High Density
Rail • Chromoly • Steel
Key Point • ArcTech
Weight 264g **Size** 203x137mm (12"-16")



VL-5073



Base • Single Density
Fill • Light Foam • High Density
Rail • Chromoly • Steel
Key Point • ArcTech
Weight 267g **Size** 215x140mm (16"-20")



VL-5093

12"-16"

Base • Single Density
Fill • Light Foam • High Density
Rail • Chromoly • Steel
Key Point • ArcTech
Weight 285g **Size** 207x146mm (12"-16")



VL-5061



Base • Single Density
Fill • Light Foam • High Density
Rail • Chromoly • Steel
Key Point • ArcTech
Weight 271g **Size** 255x128mm (20"-24")



VL-5062

16"-20"

Base • Single Density
Fill • Light Foam • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut • LED Lighting
Weight 278g **Size** 232x135mm (16"-20")



VL-5063



Base • Single Density
Fill • Light Foam • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut • LED Lighting
Weight 320g **Size** 255x135mm (20"-24")



VL-5088

20"-24"

Base • Single Density
Fill • Light Foam • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • LED Lighting
Weight 331g **Size** 249x158mm (20"-24")



VL-5095

20"-24"

Base • Single Density
Fill • Light Foam • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut
Weight 315g **Size** 258x135mm (20"-24")



VL-5120

20"-24"

Base • Single Density
Fill • Light Foam • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut
Weight 262g **Size** 255x133mm (20"-24")



VL-5104

24"

Base • Single Density
Fill • Light Foam • High Density
Rail • Chromoly • Steel
Key Point • ArcTech
Weight 318g **Size** 258x137mm (24")



VL-5124

24"

Base • Single Density
Fill • Light Foam • High Density
Rail • Chromoly • Steel
Key Point • ArcTech
Weight 269g **Size** 234x132mm (24")



VL-5140

24"


Base • Single Density
Fill • Light Foam • High Density
Rail • Chromoly • Steel
Key Point • ArcTech
Weight 282g **Size** 235x143mm (24")





20"-24"

VL-5144



Base • Single Density
Fill • Light Foam • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut
Weight 321g **Size** 230x139mm (20"-24")



24"

VL-5163



Base • Single Density
Fill • Light Foam • High Density
Rail • Chromoly • Steel
Key Point • ArcTech
Weight 257g **Size** 237x134mm (24")



12"

VL-5086



Base • Single Density
Fill • Light Foam • High Density
Seatpoint • Aluminum • Steel
Diameter: ø22.2/25.4/26.8/27.2mm
Length: 200/250mm Integrated Seatpost
Key Point • Adjustable Seatpost Angels(68°/71°/74°)
Weight 374g **Size** 206x123mm (12")



12"

VL-5109



Base • Single Density
Fill • Light Foam • High Density
Seatpoint • Aluminum • Steel
Diameter: ø22.2/25.4/27.2mm
Length: 200/250mm Seatpoint
Key Point • I Carry • Guard
Weight 445g **Size** 202x142mm (12")



PUSH BIKE

VL-5113



Base • Single Density
Fill • Light Foam • High Density
Seatpoint • Aluminum • Steel
Diameter: ø22.2/25.4/26.8/27.2mm
Length: 200/250mm Integrated Seatpost
Key Point • Adjustable Seatpost Angels
(66°/68°/70°/72°) • I Carry
Weight 320g **Size** 178x115mm (PUSH BIKE)



12"

VL-5143



Base • Single Density
Fill • Light Foam • High Density
Seatpoint • Aluminum • Steel
Diameter: ø22.2/25.4/26.8/27.2mm
Length: 200/250mm Integrated Seatpost
Key Point • Adjustable Seatpost Angels(68°/71°/74°)
Weight 329g **Size** 183x129mm (12")



VL-6569

NEW



Base • Double Density
Fill • High Density
Rail • Chromoly • Steel
Key Point • U Carry • ArcTech • Zone Cut
Weight 421g **Size** 266x171mm



VL-6582

NEW



Base • Double Density
Fill • High Density
Rail • Chromoly • Steel
Key Point • I Carry • ArcTech
Weight 745g **Size** 260x195mm



VL-6568



Base • Single Density
Fill • AirForm
Rail • Chromoly • Steel
Key Point • ArcTech • Atmos Shaping • I Carry
Weight 403g **Size** 256x190mm



VL-6567



Base • Single Density
Fill • AirForm
Rail • Chromoly • Steel
Key Point • ArcTech • Atmos Shaping • I Carry
Weight 398g **Size** 256x180mm



VL-6581

NEW



Base • Double Density
Fill • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • U Carry
Weight 483g **Size** 265x200mm



VL-6580


NEW



Base • Double Density
Fill • High Density
Rail • Elastomer
Key Point • U Carry
Weight 753g **Size** 268x223mm




VL-6535



Base • Single Density
Fill • Air Form
Rail • Chromoly • Steel
Key Point • Atmos Shaping • I Carry • Starcut
Weight 404g **Size** 260x190mm



VL-6471



Base • Double Density
Fill • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut • U Carry
Weight 475g **Size** 270x195mm



VL-6336



Base • Double Density
Fill • High Density
Rail • Chromoly • Steel
Key Point • U Carry • ArcTech • Zone Cut
Weight 423g **Size** 261x192mm




VL-6330



Base • Double Density
Fill • AirForm • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Atmos Shaping • I Carry
Weight 439g **Size** 271x188mm



VL-6395



Base • Double Density
Fill • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut • U Carry
Weight 428g **Size** 265x200mm



VL-6221



Base • Double Density
Fill • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut • V Mount • U Carry
Weight 510g **Size** 270x210mm



VL-6397



Base • Single Density • Double Density
Fill • Light Foam • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut • U Carry
Weight 420g **Size** 283x192mm



VL-6309

VL-6317

Zone Cut



Base • Double Density
Fill • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut • U Carry
Weight 411g **Size** 284x172mm



VL-6396




Base • Single Density • Double Density
Fill • Light Foam
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut • U Carry
Weight 425g **Size** 271x213mm



VL-6310

VL-6318


Zone Cut



Base • Double Density
Fill • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut • U Carry
Weight 452g **Size** 262x192mm




VL-6234



Base • Double Density
Fill • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut • V Mount
Weight 413g **Size** 280x181mm



VL-6231



Base • Double Density
Fill • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut • V Mount
Weight 450g **Size** 264x200mm



VL-7040

Base	• Single Density
Fill	• High Density
Rail	• Chromoly • Steel
Key Point	7mm or 8mm Rail Option Reinforced Rail Plate
Weight	344g
Size	284x140mm



VL-7049

Base	• Single Density
Fill	• High Density
Seatpost	Pivotal Nylon Fiber Injected Seatpost • Ø22.2-90mm • 135mm
	• Ø25.4-75mm • 135mm • 150mm
	• Ø27.2-75mm • 135mm • 150mm
Key Point	• Pivotal Mount
Weight	257g
Size	230x132mm



VL-7122

Base	• Single Density
Fill	• High Density
Rail	• Aluminum
	Diameter: Ø25.4/27.2mm
	Length: 160/200/250/300mm
Key Point	• Integrated Seatpost
Weight	255g
Size	223x120mm



VL-7130

Base	• Single Density
Fill	• High Density
Seatpost	• Aluminum Diameter: Ø25.4/27.2mm Length: 160/200/250/300mm
Key Point	Integrated Seatpost Seatpost with Rivet
Weight	312g
Size	230x142mm



VL-7046

Base	• Single Density
Fill	• High Density
Seatpost	Pivotal Nylon Fiber Injected Seatpost • Ø22.2-90mm • 135mm
	• Ø25.4-75mm • 135mm • 150mm
	• Ø27.2-75mm • 135mm • 150mm
Key Point	• Pivotal Mount
Weight	282g
Size	230x132mm



VL-7083

Base	• Single Density
Fill	• High Density
Rail	• Chromoly • Steel
Key Point	• 7mm or 8mm Rail Option
Weight	255g
Size	220x123mm



A
tripod™
seat system
patented

VL-7148

Base • Single Density
Fill • High Density
Rail • Tripod Seatpost
Key Point • Tripod Mount
Weight 196g **Size** 223x191mm



PIVOTAL
patented technology

Stealth Pivotal System



VL-7156

Base • Single Density
Fill • High Density
Rail • Stealth Pivotal System
Key Point • Pivotal Mount
Weight 280g **Size** 230x132mm



PIVOTAL
patented technology

Stealth Pivotal System



VL-7157

Base • Single Density
Fill • High Density
Rail • Stealth Pivotal System
Key Point • Pivotal Mount
Weight 320g **Size** 232x141mm



A
tripod™
seat system
patented

VL-7222

Base • Single Density
Fill • High Density
Rail • Tripod Seatpost
Key Point • Tripod Mount
Weight 238g **Size** 224x129mm



PIVOTAL
patented technology



VL-7232

Base • Single Density
Fill • High Density
Seat point Pivoatal Nylon Fiber Injected Seatpost
• Ø22.2-90mm • 135mm
• Ø25.4-75mm • 135mm • 150mm
• Ø27.2-75mm • 135mm • 150mm
Key Point Tripod Mount
Weight 342g **Size** 230x141mm



A
tripod™
seat system
patented



VL-7236

Base • Single Density
Fill • High Density
Rail • Tripod Seatpost
Key Point • Tripod Mount
Weight 281g **Size** 234x138 mm



VL-0767

Base	• Single Density
Fill	• High Density
Rail	• Coil Spring • Heavy-duty Spring
Key Point	• Coil Spring Suspension

Weight 1035g Size 255x253mm



VL-8033E

Base	• Web Spring
Fill	• High Density
Rail	• Elastomer
Key Point	• Web Spring & Elastomer Suspension

Weight 929g Size 275x284mm



VL-8016

Base	• Web Spring
Fill	• High Density
Rail	• Steel • Elastomer • Coil Spring • Heavy-duty Spring
Key Point	• Elastomer / Coil Spring Suspension

Weight 1500g Size 270x254mm



VL-8088

Base	• Single Density
Fill	• High Density
Rail	• Steel • Elastomer • Coil Spring • Heavy-duty Spring
Key Point	• Elastomer / Coil Spring Suspension

Weight 916g Size 267x257mm



VL-8030

Base	• Single Density
Fill	• High Density • Memory Foam
Rail	• Steel • Elastomer • Coil Spring • Heavy-duty Spring
Key Point	• Elastomer / Coil Spring Suspension

Weight 1065g Size 269x255mm



VL-8127E

Base	• Web Spring
Fill	• High Density
Rail	• Elastomer
Key Point	• Web Spring & Elastomer Suspension

Weight 787g Size 271x225mm



VL-1A64



Base • Single Density
Fill • Gel Padding • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut • V-Form
Weight 307g **Size** 262x135mm



VL-3351



Base • Single Density
Fill • Gel Padding • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut • V Mount • V-Form
Weight 384g **Size** 277x162mm



VL-1A65



Base • Single Density
Fill • Gel Padding • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut • V-Form
Weight 340g **Size** 280x145mm



VL-3352



Base • Single Density
Fill • Gel Padding • High Density
Rail • CrN / Ti Alloy • Chromoly • Steel
Key Point • ArcTech • T-Bar • V Mount • V-Form
Weight 376g **Size** 287x144mm



VL-1475



Base • Carbon Fiber Injection • Nylon Fiber Injection
Fill • Gel Padding • High Density
Rail • CrN / Ti Alloy • Chromoly • Steel
Key Point • ArcTech • Zone Cut • V Mount • V-Form
Weight 335g **Size** 264x139mm



VL-3362



Base • Double Density
Fill • Gel Padding • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut • V-Form
Weight 409g **Size** 274x178mm



VL-3424



Base	• Single Density
Fill	• Gel Padding • High Density
Rail	• Chromoly • Steel
Key Point	• ArcTech • Zone Cut • V Mount • V-Form
Weight	365g
	Size 278x168mm



VL-3502



Base	• Single Density
Fill	• High Density
Rail	• Chromoly • Steel
Key Point	• Zone Cut • WingBow • V-Form
Weight	388g
	Size 265x143mm




VL-3465



Base	• Single Density
Fill	• High Density
Rail	• Chromoly • Steel
Key Point	• Zone Cut • WingBow • V-Form
Weight	435g
	Size 264x165mm

VL-3533
VL-3633

Zone Cut



Base	• Single Density
Fill	• Gel Padding • High Density
Rail	• Chromoly • Steel
Key Point	• ArcTech • Zone Cut • V-Form
Weight	335g
	Size 270x148mm

VL-3477
VL-3497

Zone Cut



Base	• Single Density
Fill	• High Density
Rail	• Chromoly • Steel
Key Point	• Zone Cut • WingBow • V-Form
Weight	413g
	Size 265x158mm

VL-3534
VL-3632

Zone Cut



Base	• Single Density
Fill	• Gel Padding • High Density
Rail	• Chromoly • Steel
Key Point	• ArcTech • Zone Cut • V-Form
Weight	336g
	Size 270x158mm



VL-3538



Base • Single Density
Fill • Gel Padding • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut • V-Form
Weight 355g **Size** 272x148mm



VL-3539



Base • Single Density
Fill • Gel Padding • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut • V-Form
Weight 378g **Size** 270x160mm



VL-3540




Base • Single Density
Fill • Gel Padding • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut • V-Form
Weight 392g **Size** 278x165mm



VL-3542

VL-3606

Zone Cut



Base • Single Density • Double Density
Fill • Gel Padding • High Density
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut • V-Form
Weight 406g **Size** 275x162mm



VL-3645




Base • Single Density
Fill • Gel Padding • High Density
Rail • Chromoly • Steel
Key Point • Reversed ArcTech • I Carry • V-Form
Weight 372g **Size** 256x158mm



VL-3635

VL-3629

Zone Cut NEW



Base • Single Density
Fill • High Density • Gel Padding
Rail • Chromoly • Steel
Key Point • ArcTech • Zone Cut • V-Form
Weight 328g **Size** 256x158mm



VL-4111

VL-4110

Zone Cut



Base • Single Density • Double Density

Fill • Gel Padding • High Density

Rail • Chromoly • Steel

Key Point • ArcTech • Zone Cut • V-Form

Weight 480g Size 254x173mm



VL-4290



Base • Double Density

Fill • Gel Padding • High Density

Rail • Chromoly • Steel

Key Point • ArcTech • Zone Cut • V-Form

Weight 398g Size 255x175mm



VL-4254



Base • Double Density

Fill • Gel Padding • High Density

Rail • Chromoly • Steel

Key Point • ArcTech • Zone Cut • V-Form

Weight 386g Size 265x160mm



VL-4479



Base • Single Density

Fill • Gel Padding • High Density


Rail • Chromoly • Steel

Key Point • Reversed ArcTech • V-Form • I Carry

Weight 351g Size 248x168mm



VL-4283



Base • Carbon Fiber Injection • Nylon Fiber Injection

Fill • Gel Padding • High Density

Rail • CrN / Ti Alloy • Chromoly • Steel

Key Point • ArcTech • Zone Cut • V Mount • V-Foam

Weight 358g Size 267x142mm



VL-4480



Base • Double Density

Fill • High Density • Gel Padding

Rail • Chromoly • Steel

Key Point • ArcTech • Zone Cut • U Carry • V-Form

Weight 391g Size 245x161mm



PUSH BIKE

VL-5150

Base	• Single Density
Fill	• High Density
Seatpoint	• Aluminum • Steel Diameter: Ø22.2/25.4/26.8/27.2mm
	Length: 200/250mm
Key Point	• Integrated Seatpost • Adjustable Seatpost Angles (66°/68°/70°/72°) • V-Form

Weight 275g Size 180x117mm (PUSH BIKE)



VL-6391

Base	• Single Density
Fill	• High Density
Rail	• Chromoly • Steel
Key Point	• Zone Cut • I Carry • WingBow • V-Form

Weight 513g Size 273x210mm



VL-6393

VL-6420 Zone Cut

Base	• Double Density
Fill	• Gel Padding • High Density
Rail	• Chromoly • Steel
Key Point	• ArcTech • Zone Cut • U Carry • V-Form

Weight 480g Size 265x213mm



VL-6418



Base	• Double Density
Fill	• Gel Padding • High Density
Rail	• Chromoly • Steel
Key Point	• ArcTech • Zone Cut • U carry • V-Form
Weight	497g Size 268x202mm



VL-6434

VL-6450 Zone Cut

Base	• Single Density
Fill	• High Density
Rail	• Chromoly • Steel
Key Point	• Zone Cut • I Carry • WingBow • V-Form
Weight	480g Size 270x196mm



VL-6469

VL-6571 Zone Cut

Base	• Single Density • Double Density
Fill	• Gel Padding • High Density
Rail	• Chromoly • Steel
Key Point	• ArcTech • Zone Cut • V-Form • U Carry


Weight 494g Size 262x199mm



VL-6470

VL-6570

Zone Cut



Base • Single Density • Double Density

Fill • Gel Padding • High Density

Rail • Chromoly • Steel

Key Point • ArcTech • Zone Cut • V-Form

Weight 448g Size 280x175mm



VL-6488



Base • Single Density • Double Density

Fill • Gel Padding • High Density

Rail • Chromoly • Steel

Key Point • ArcTech • Zone Cut • U Carry • V-Form

Weight 480g Size 271x199mm



VL-6472



Base • Single Density • Double Density

Fill • Gel Padding • High Density

Rail • Chromoly • Steel

Key Point • ArcTech • Zone Cut • U Carry • V-Form

Weight 490g Size 265x198mm



VL-6487



Base • Single Density • Double Density

Fill • Gel Padding • High Density

Rail • Chromoly • Steel

Key Point • ArcTech • Zone Cut • U Carry • V-Form

Weight 441g Size 285x180mm



VL-6522



Base • Single Density • Double Density

Fill • Gel Padding • High Density

Rail • Chromoly • Steel

Key Point • ArcTech • Zone Cut • U Carry • V-Form

Weight 486g Size 270x199mm



VL-6574



Base • Double Density

Fill • Gel Padding • High Density

Rail • Chromoly • Steel

Key Point • I Carry • ArcTech • Zone Cut • V-Form

Weight 448g Size 265x197mm



VL-1221



Base • Single Density
Fill • Light Foam • High Density
Rail • Chromoly • Steel
Key Point • Rivet • Zone Cut
Weight 283g **Size** 274x153mm



VL-1962



Base • Single Density
Fill • Light Foam • High Density
Rail • Chromoly • Steel
Key Point • Rivet • Zone Cut
Weight 318g **Size** 272x153mm



VL-1356



Base • Single Density
Fill • Light Foam • High Density
Rail • Chromoly • Steel
Key Point • Zone Cut
Weight 290g **Size** 275x155mm



VL-1418

Base • Single Density
Fill • Light Foam • High Density
Rail • Chromoly • Steel
Weight 357g **Size** 273x151mm



RIVET

VL-6067P
VL-6188P

Base • Single Density
Fill • Light Foam • High Density
Rail • Chromoly • Coil Spring • Steel
Key Point • Coil Spring Suspension • Rivet
• Saddle Bag Hooks (FB-005)
Weight 541g **Size** 281x165mm



FB-005

VL-8114S

Base • Single Density
Fill • High Density
Rail • Chromoly • Coil Spring • Heavy-duty Spring
• Steel
Key Point • Coil Spring Suspension
• Saddle Bag Hooks (FB-005) • Rivet
Weight 680g **Size** 264x221mm

GRIPS



VLG-030 (Cover)	P.56	VLG-864-24AD3	P.58	VLG-1812D2	P.47	VLG-2094AD2	P.50
VLG-039 (Cover)	P.56	VLG-884	P.46	VLG-1814 (Cover)	P.54	VLG-2095AD3	P.60
VLG-043	P.59	VLG-892 (Cover)	P.56	VLG-1816-11D2	P.42	VLG-2096-11D2	P.42
VLG-048 (Foam)	P.57	VLG-901	P.67	VLG-1820-11D2	P.45	VLG-2098-11D2	P.42
VLG-048 (Silicone)	P.61	VLG-902	P.67	VLG-1824D2	P.51	VLG-2100D2	P.46
VLG-059-6A	P.59	VLG-975-11D2	P.45	VLG-1832AD2 (Cover)	P.55	VLG-2114D2	P.46
VLG-074B	P.57	VLG-975	P.63	VLG-1839	P.53	VLG-2120D2	P.65
VLG-075	P.57	VLG-976	P.65	VLG-1851D2	P.68		
VLG-075-2A	P.57	VLG-992	P.66	VLG-1859	P.53		
VLG-105	P.67	VLG-992-1	P.63	VLG-1862-11D2	P.45		
VLG-130A	P.59	VLG-1168 (Cover)	P.54	VLG-1863 (Cover)	P.54		
VLG-130A (Cover)	P.55	VLG-1185AD3	P.48	VLG-1872	P.65		
VLG-142A (Cover)	P.55	VLG-1189	P.48	VLG-1879D2	P.53		
VLG-172	P.64	VLG-1192	P.45	VLG-1880AD3	P.58		
VLG-185	P.64	VLG-1226	P.65	VLG-1883D2	P.47		
VLG-200	P.67	VLG-1266	P.43	VLG-1887D2	P.47		
VLG-200 (Cover)	P.67	VLG-1320	P.43	VLG-1888	P.68		
VLG-207	P.64	VLG-1364-11D2	P.65	VLG-1889D2	P.53		
VLG-298	P.63	VLG-1365-11D2	P.65	VLG-1891	P.52		
VLG-311	P.62	VLG-1389	P.51	VLG-1893	P.68		
VLG-411	P.66	VLG-1389D3	P.48	VLG-1906A	P.60		
VLG-519 (Cover)	P.56	VLG-1469AD3	P.57	VLG-1909	P.53		
VLG-520 (Cover)	P.55	VLG-1505	P.51	VLG-1912A	P.60		
VLG-609	P.63	VLG-1535	P.44	VLG-1923	P.68		
VLG-617 (Cover)	P.55	VLG-1541	P.62	VLG-1953	P.61		
VLG-649	P.49	VLG-1541AD3	P.44	VLG-1953D2	P.47		
VLG-649 (Cover)	P.54	VLG-1565 (Cover)	P.54	VLG-1941	P.60		
VLG-690(L)	P.50	VLG-1605	P.51	VLG-1979	P.68		
VLG-690(S)	P.50	VLG-1643A	P.61	VLG-1985	P.52		
VLG-696N	P.67	VLG-1661	P.47	VLG-2052D2	P.60		
VLG-709	P.50	VLG-1670D2	P.49	VLG-2061D2	P.68		
VLG-719	P.50	VLG-1670D3	P.52	VLG-2063D2	P.50		
VLG-775	P.44	VLG-1679	P.49	VLG-2064D3	P.58		
VLG-776	P.43	VLG-1721	P.42	VLG-2078	P.59		
VLG-849AD3	P.48	VLG-1731D3 (Cover)	P.54	VLG-2080AD3	P.60		
VLG-851	P.44	VLG-1745AD3	P.43	VLG-2083AD3	P.58		
VLG-852AD3	P.43	VLG-1745D2	P.62	VLG-2085D2	P.46		
VLG-864	P.59	VLG-1777D2	P.52	VLG-2089D2	P.46		
VLG-864-21AD3	P.58	VLG-1782AD2 (Cover)	P.55	VLG-2090AD3	P.58		

Silicone Grip With Clamp

- 100% Silicone content
- Abrasion-resistant
- Human friendly



VLG-2052D2

One Piece

- Light weight
- Shock-absorb
- Touch feel is comfortable



VLG-2090AD3

VLG-2083AD3

Silicone Foam

- Light weight
- Shock-absorb
- Abrasion-resistant
- Human friendly



VLG-1906



VLG-1912

Special Plug

- Integrated plug on clamp to avoid handlebar thickness issue



VLP-171

VEXK3

- Comfort touching feeling
- Material is soft



VLG-1266

VLG-1862-11D2

Plastic Clamp

- Light weight



VGL/VGL3

- Light weight material
- Regular injection mold formation
- Skid proof to meet ISO4210 standard

VLG-1605D2



VLG-609



VLG-048-4

Clamp

VLG-1721

Material Hard Plastic/DuraCork™

Key point • Natural Material

Vis • G2 • One Side Ring

Spec Ø22.4mm 131/92mm

Color Option Black/Brown

Handlebar ■ 22.2mm □ 19.1mm

VLG-1721AD2 (Open End) 131/131mm

VLG-1721-1AD2 (Open End) 92/92mm

VLG-1721-2AD2 (Open End) 131/92mm

VLG-2098-11D2 NEW

Material Hard Plastic/VEXK

Key point Double Density

Vis • G2 • One Side Ring • Aluminum

Spec Ø22.4mm(Closed End) 135/135mm

Handlebar ■ 22.2mm □ 19.1mm

VLG-2096-11D2 NEW

Material Hard Plastic/VEXK

Key point Double Density

Vis • G2 • One Side Ring • Aluminum

Spec Ø22.4mm(Closed End) 133/133mm

Handlebar ■ 22.2mm □ 19.1mm



VLG-1816-11D2

Material Hard Plastic/VEXK

Key point Double Density

Vis • G2 • One Side Ring

Spec Ø22.4mm 135/135mm

Handlebar ■ 22.2mm □ 19.1mm



VLG-1816-11D2 (Closed End)

135/135mm

VLG-1816-11D2L (Closed End)

135/135mm

Clamp



VLG-1745AD3

Material	Hard Plastic/AT-Rubber/Gel
Key point	Triple Density
Vis	• G2 • Two Side Rings • Aluminum
Spec	Ø22.4mm(Open End) 130/130mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-776

Material	Hard Plastic/AT-Rubber/Gel
Key point	Triple Density
Vis	• G2 • Two Side Rings
Spec	Ø22.4mm 132/130mm
Handlebar	■ 22.2mm □ 19.1mm
VLG-776AD3-L2-G2 (Open End)	130/130mm
VLG-776-12D3+VLP-171 (Closed End)	135/135mm



VLG-1320-11PD2

VLG-1320

Material	Hard Plastic/VEXK
Key point	• Double Density • Plastic Clamp
Vis	• G2 • One Side Ring
Spec	Ø22.4mm 132/132mm
Handlebar	■ 22.2mm □ 19.1mm
VLG-1320AD2 (Open End)	132/132mm
VLG-1320-11D2 (Closed End)	132/132mm
VLG-1320-11PD2 (Closed End)	132/132mm



VLG-1266

Material	Hard Plastic/AT-Rubber/Gel
Key point	Double Density
Vis	• G2 • One Side Ring • Two Side Rings
Spec	• Aluminum
Handlebar	Ø22.4mm 135/132mm
VLG-1266AD2-L2 (Open End)	■ 22.2mm □ 19.1mm
VLG-1266-11D2 (Closed End)	135/135mm
VLG-1266-11D2 (Closed End)	132/132mm

VLG-852AD3-L2-G2

Material	Hard Plastic/Gel/Tape
Key point	• Quad Density
	• Combination of tape and grip
Vis	• G2 • Two Side Rings
Spec	Ø22.4mm(Open End) 130/130mm
Handlebar	■ 22.2mm □ 19.1mm



Clamp



VLG-851

Material	Hard Plastic/Gel
Key point	• Hand-Stitching • Machine-Stitching
Vis	• G2 • Two Side Rings
Spec	Ø22.4mm 130/92mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-851AD3-L2-G2 (Open End)	130/130mm
VLG-851-1AD3-L1-G2 (Open End)	92/92mm
VLG-851-2AD3-G2 (Open End)	130/92mm

VLG-1535-12D2+VLP-171



VLG-1535

Material	Hard Plastic/VEXK
Key point	Double Density
Vis	• G2 • Two Side Rings • Aluminum
Spec	Ø22.4mm 135/140mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-1535AD2-L2 (Open End)	135/135mm
VLG-1535-12D2-L2+VLP-171 (Closed End)	140/140mm



VLG-1541AD2

Material	Hard Plastic/VEXK
Key point	Double Density
Vis	• G2 • One Side Ring • Aluminum
Spec	Ø22.3-19.5mm 132.4/132.4mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-1541AD2 (Open End)-Q Base	132.4/132.4mm
VLG-1541-11D2 (Closed End)	132.4/132.4mm



VLG-775

Material	Hard Plastic/VEXK
Key point	• Double Density • Light Weight
Vis	• G2 • Two Side Rings
Spec	Ø22.4mm 128/126.5mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-775AD2-L2-G2 (Open End)	126.5/126.5mm
VLG-775-12D2+VLP-171 (Closed End)	130.5/130.5mm

Clamp



VLG-1192

Material	Hard Plastic/VEXK
Key point	• Double Density • Plastic • Aluminum
Vis	• G2 • One Side Ring
Spec	Ø22.4mm 130/130mm
OD	L:33.6/30.3mm S:33.6/28.5mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-1192-11D2(L)



VLG-1192-11PD2(S)



Diamond Design

VLG-1820-11D2

Material	Hard Plastic/VEXK
Key point	• Double Density • OD:32
Vis	• G2 • One Side Ring • Aluminum
Spec	Ø22.4mm(Closed End) 132/132mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-1862-11D2

Material	Hard Plastic/VEXK
Key point	Double Density
Vis	• G2 • One Side Ring • Aluminum
Spec	Ø22.4mm(Closed End) 130/130mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-975

Material	Hard Plastic/VEXK
Key point	• Double Density • Plastic Clamp
Vis	• G2 • One Side Ring • Two Side Rings
Spec	Ø22.4mm 139/135/132mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-975-11PD2 (Closed End)(Plastic Clamp)	132/132mm
VLG-975-11D2 (Closed End)	132/132mm
VLG-975-12D2-L2+VLP-171 (Closed End)	139/139mm
VLG-975AD2-L1 (Open End)	132/132mm
VLG-975AD2-L2 (Open End)	135/135mm

Clamp



VLG-884-3AD2-L1



VLG-884-9AD2-L1

VLG-884

Material	Hard Plastic/VEXK
Key point	• Double Density • Light Weight
Vis	• G2 • Side Ring • Aluminum
	• Plastic Clamp
Spec	Ø22.4mm 136.5/135/132/92/80mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-884-11PD2
VLG-884-2AD2-L2
VLG-884AD2-L1
VLG-884-12D2
Plastic Clamp

VLG-884AD2-L1 (Open End)	132/132mm	VLG-884-9AD2-L1 (Open End)	80/80mm
VLG-884-2AD2-L2 (Open End)	135/135mm	VLG-884-10AD2 (Open End)	135/80mm
VLG-884-3AD2-L1 (Open End)	92/92mm	VLG-884-11D2-L1 (Closed End)	132/132mm
VLG-884-5AD2 (Open End)	135/92mm	VLG-884-11PD2 (Closed End)(Plastic Clamp)	132/132mm
VLG-884-8AD2 (Open End)	132/92mm	VLG-884-12D2-L2+VLP-171 (Closed End)	140.5/140.5mm

VLG-2114D2 

Material	Hard Plastic/VEXK
Key point	Double Density
Vis	• Plastic Clamp • One Piece
Spec	Ø22.4mm(Closed End) 134.5/134.5mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-2100D2 

Material	Hard Plastic/VEXK
Key point	Double Density
Vis	• Plastic Clamp • One Piece
Spec	Ø22.4mm(Closed End) 134.8/134.8mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-2089D2 

Material	Hard Plastic/VEXK
Key point	Double Density
Vis	• Plastic Clamp • One Piece
Spec	Ø22.4mm(Closed End) 134.8/134.8mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-2085D2 

Material	Hard Plastic/VEXK
Key point	Double Density
Vis	• Plastic Clamp • One Piece
Spec	Ø22.4mm(Closed End) 134.8/134.8mm
Handlebar	■ 22.2mm □ 19.1mm

Clamp



VLG-1812D2

Material	Hard Plastic/VEXK
Key point	Double Density
Vis	• Plastic Clamp • One Piece
Spec	Ø22.4mm(Closed End) 134.8/134.8mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-1887D2

Material	Hard Plastic/VEXK
Key point	Double Density
Vis	• Plastic Clamp • One Piece
Spec	Ø22.4mm(Closed End) 134.8/134.8mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-1953D2

Material	Hard Plastic/VEXK
Key point	• Double Density
Vis	• Plastic Clamp • One Piece
Spec	Ø22.4mm(Closed End) 134.5/134.5mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-1883D2

Material	Hard Plastic/VEXK
Key point	Double Density
Vis	• Plastic Clamp • One Piece
Spec	Ø22.4mm(Closed End) 133/133mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-1661

Material	Hard Plastic/VEXK
Key point	Double Density
Vis	• Plastic Clamp • One Piece
Spec	Ø22.4mm(Closed End) 132.6/131mm
Handlebar	■ 22.2mm □ 19.1mm
VLG-1661D2 (Closed End)	132.6/132.6mm
VLG-1661D2-N (Closed End)	130.5/130.5mm

Clamp



VLG-1185AD3

Material	Hard Plastic/AT-Rubber/Gel
Key point	<ul style="list-style-type: none"> • Triple Density • Anatomic Design With Bar-End
Vis	<ul style="list-style-type: none"> • G2 • One Side Ring • Aluminum
Spec	Ø22.4mm(Open End) 138/138mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-849AD3-L1-G2

Material	Hard Plastic/AT-Rubber/Gel
Key point	<ul style="list-style-type: none"> • Triple Density • Anatomic Design • Muti-Hand Position
Vis	<ul style="list-style-type: none"> • G2 • One Side Ring
Spec	Ø22.4mm(Open End) 148/148mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-1189

Material	Hard Plastic/AT-Rubber/Gel
Key point	<ul style="list-style-type: none"> • Triple Density • Anatomic Design
Vis	<ul style="list-style-type: none"> • G2 • One Side Ring
Spec	Ø22.4mm 140.3/95mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-1189D3 (Closed End)	140.2/140.2mm
VLG-1189-1D3 (Closed End)	95/95mm
VLG-1189-2D3 (Closed End)	140.2/95mm
VLG-1189AD3 (Open End)	140.2/140.2mm
VLG-1189-1AD3 (Open End)	95/95mm
VLG-1189-2AD3 (Open End)	140.2/95mm



VLG-1389

Material	Hard Plastic/AT-Rubber/Gel
Key point	<ul style="list-style-type: none"> • Triple Density • Anatomic Design
Vis	<ul style="list-style-type: none"> • G2 • One Side Ring • Plastic • Aluminum
Spec	Ø22.4mm 133/133mm
OD	L:46.9mm S:45mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-1389AD3(S) (Open End)	133/133mm
VLG-1389D3(L) (Closed End)	133/133mm
VLG-1389D3(S) (Closed End)	133/133mm
VLG-1389PD3(L) (Closed End)(Plastic Clamp)	133/133mm
VLG-1389PD3(S) (Closed End)(Plastic Clamp)	133/133mm

Comfort

Duracork



VLG-649

Material	Hard Plastic/Gel
Key point	• Double Density • Triple Density • Anatomic Design
Vis	• G1 • One Side Ring
Spec	Ø22.4mm 135/92mm
OD	L:55.94 M:53.5 S:51mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-649AD3



VLG-649AD2(M)



VLG-649AD2(S)

VLG-649AD3 (Open End)	135/135mm
VLG-649AD2(M) (Open End)	135/135mm
VLG-649AD2(S) (Open End)	135/135mm
VLG-649-1AD2 (Open End)	92/92mm



VLG-1670

Material	AT-Rubber/Gel
Key point	Double Density
Vis	W/O Vise
Spec	Ø19.5mm 131.6/131.6mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-1670D2 (Closed End)	131.6/131.6mm
VLG-1670AD2 (Open End)	131.6/131.6mm



VLG-1679

Material	AT-Rubber/Gel
Key point	Double Density
Vis	W/O Vise
Spec	Ø19.5mm 125/120/180mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-1679D2 (Closed End)	125/125mm
VLG-1679AD2 (Open End)	125/125mm
VLG-1679-8 (Closed End)	80/80mm
VLG-1679-10 (Closed End)	120/120mm
VLG-1679-11 (Closed End)	120/80mm

Comfort



VLG-709
VLG-719

Material	AT-Rubber/Gel
Key Point	• Triple Density • Anatomic Design
Vis	W/O Vise
Spec	Ø19.5mm 130/92mm
OD	30/27mm
Handlebar	■ 22.2mm □ 19.1mm
VLG-709AD3 (Open End)	130/130mm
VLG-709-1AD3 (Open End)	92/92mm
VLG-709-2AD3 (Open End)	130/92mm
VLG-719AD3 (Open End)	130/130mm
VLG-719-1AD3 (Open End)	92/92mm
VLG-719-2AD3 (Open End)	130/92mm



VLG-2094AD2 

Material	Hard Plastic/VEXK
Key point	Double Density
Vis	• Plastic Clamp • One Piece
Spec	Ø22.4mm(Open End) 140.3/140.3mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-690(S)
VLG-690(L)

Material	AT-Rubber/Gel
Key Point	• Double Density • Anatomic Design
Vis	W/O Vise
Spec	Ø19.5mm 134.5/92mm
OD	30/27mm
Handlebar	■ 22.2mm □ 19.1mm
VLG-690AD2(S) (Open End)	134.5/134.5mm
VLG-690-1AD2(S) (Open End)	92/92mm
VLG-690-2AD2(S) (Open End)	134.5/92mm
VLG-690AD2(L) (Open End)	134.5/134.5mm
VLG-690-1AD2(L) (Open End)	92/92mm
VLG-690-2AD2(L) (Open End)	134.5/92mm



VLG-2063D2 

Material	Hard Plastic/VEXK
Key point	Double Density
Vis	• Plastic Clamp • One Piece
Spec	Ø22.4mm(Closed End) 135/135mm
Handlebar	■ 22.2mm □ 19.1mm

Comfort



VLG-1389

Material AT-Rubber/Gel
 Key point • Double Density • Single Density
 Vis W/O Vise
 Spec Ø19.5mm 130/92/76mm
 Handlebar ■ 22.2mm □ 19.1mm

VLG-1389D2 (Closed End)	130/130 mm
VLG-1389-1D2 (Closed End)	92/92 mm
VLG-1389-2D2 (Closed End)	130/92 mm
VLG-1389-3D2 (Closed End)	130/76 mm
VLG-1389 (Closed End)	130/130 mm
VLG-1389-1 (Closed End)	92/92 mm
VLG-1389-2 (Closed End)	130/92 mm



VLG-1824D2

Material AT-Rubber/Gel
 Key point Double Density
 Vis W/O Vise
 Spec Ø19.5mm 131.6/92mm
 Handlebar ■ 22.2mm □ 19.1mm

VLG-1824D2 (Closed End)	131.6/131.6mm
VLG-1824-1D2 (Closed End)	92/92mm
VLG-1824-2D2 (Closed End)	131.6/92mm



VLG-1605

Material Hard Plastic/AT-Rubber
 Key point TAIL LOCK
 Vis W/TAIL LOCK
 Spec Ø22.4mm 132/92mm
 Handlebar ■ 22.2mm □ 19.1mm

VLG-1605D2 (Closed End)	132/132mm
VLG-1605-1D2 (Closed End)	92/92mm
VLG-1605-2D2 (Closed End)	132/92mm




VLG-1505

Material Hard Plastic/AT-Rubber
 Key point Double Density
 Vis • Plastic Clamp • One Piece
 Spec Ø22.4mm 132/92mm
 Handlebar ■ 22.2mm □ 19.1mm

VLG-1505D2 (Closed End)	132/132mm
VLG-1505-1D2 (Closed End)	92/92mm
VLG-1505-2D2 (Closed End)	132/92mm

MICROTECH

Microtech design for slip-less function and better finger grip.



VLG-1985 NEW

VLG-1895-1D3

Material	Hard Plastic/VEXK/Gel
Key point	• Triple Density • Microtech Texture
Vis	• G2 • One Side Ring • Aluminum
Spec	Ø22.4mm 131.6/92mm
Handlebar	■ 22.2mm □ 19.1mm
VLG-1985D3 (Closed End)	131.6/131.6mm
VLG-1985AD3 (Open End)	131.6/131.6mm
VLG-1985-1D3 (Closed End)	92/92mm
VLG-1985-2D3 (Closed End)	131.6/92mm



VLG-1891

MICROTECH

Material	Hard Plastic/VEXK
Key point	• Double Density • Microtech Texture
Vis	Lock Ring
Spec	Ø22.4mm 128/93.5mm
Handlebar	■ 22.2mm □ 19.1mm
VLG-1891AD2 (Open End)	128/128mm
VLG-1891-1AD2 (Open End)	93.5/93.5mm
VLG-1891-2AD2 (Open End)	128/93.5mm



VLG-1670

Material	Hard Plastic/VEXK/Gel
Key point	• Triple Density • Microtech Texture
Vis	• G2 • One Side Ring • Aluminum
Spec	Ø22.4mm 131.6/92mm
Handlebar	■ 22.2mm □ 19.1mm
VLG-1670D3-L1 (Closed End)	131.6/131.6mm
VLG-1670AD3-L1 (Open End)	131.6/131.6mm
VLG-1670-1D3 (Closed End)	92/92mm
VLG-1670-2D3 (Closed End)	131.6/92mm



VLG-1777D2

Material	Hard Plastic/VEXK
Key point	• Double Density • Microtech Texture
Vis	• Plastic Clamp • One Piece
Spec	Ø22.4mm(Closed End) 131.6/131.6mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-1909



VLG-1909-12D2+VLP-171

Material Hard Plastic/VEXK
 Key point Double Density
 Vis • G2 • Two Side Rings • Aluminum
 Spec Ø22.4mm 135/141mm
 Handlebar ■ 22.2mm □ 19.1mm



VLG-1909AD2-L2

VLG-1909AD2-L2 (Open End)

135/135mm

VLG-1909-12D2-L2+VLP-171 (Closed End)

141/141mm



VLG-1859-1D3



VLG-1859D3-DM

MICROTECH



VLG-1859D3

VLG-1859

Material Hard Plastic/VEXK/Gel
 Key point • Triple Density • Microtech Texture
 Vis • G2 • One Side Ring • Aluminum
 Spec Ø22.4mm 136/95mm
 Handlebar ■ 22.2mm □ 19.1mm

VLG-1859D3 (Closed End) 136/136mm
 VLG-1859-1D3 (Closed End) 95/95mm
 VLG-1859-2D3 (Closed End) 136/95mm
 VLG-1859D3-DM (Closed End) 136/136mm
 VLG-1859-1D3-DM (Closed End) 95/95mm
 VLG-1859-2D3-DM (Closed End) 136/95mm



MICROTECH

VLG-1889D2

Material Hard Plastic/VEXK
 Key point • Double Density • Microtech Texture
 Vis • Plastic Clamp • One Piece
 Spec Ø22.4mm(Closed End) 128.5/128.5mm
 Handlebar ■ 22.2mm □ 19.1mm




MICROTECH

VLG-1879D2

Material Hard Plastic/VEXK
 Key point • Double Density • Microtech Texture
 Vis • Plastic Clamp • One Piece
 Spec Ø22.4mm(Closed End) 138/138mm
 Handlebar ■ 22.2mm □ 19.1mm

VLG-1879D2 (Closed End) 138/138mm
 VLG-1879D2-XM (Closed End) 138/138mm



VLG-1839AD2(L)

MICROTECH

VLG-1839

Material Hard Plastic/VEXK
 Key point • Double Density • Microtech Texture
 Vis • G2 • One Side Ring • Aluminum
 Spec Ø22.4mm 140/131.7mm
 Handlebar ■ 22.2mm □ 19.1mm

VLG-1839AD2(S) (Open End) 131.7/131.7mm
 LG-1839AD2(L) (Open End) 140/140mm

Cover



VLG-1565

Material Hard Plastic/AT-Rubber/Gel

Key point Hand-Stitching

Vis • G2 • One Side Ring

Spec Ø22.4mm 135/92mm

Handlebar ■ 22.2mm □ 19.1mm

VLG-1565D3 (Closed End) 135/135mm

VLG-1565-1D3 (Closed End) 92/92mm

VLG-1565-2D3 (Closed End) 135/92mm



VLG-1731D3

Material Hard Plastic/Gel

Key point Leather+Hand-Stitching

Vis • G2 • Two Side Rings

Spec Ø22.4mm(Closed End) 132.8/132.8mm

Handlebar ■ 22.2mm □ 19.1mm



VLG-1168

Material AT-Rubber/Cover

Key point • Single Density • Anatomic Design
• Hand-Stitching

Vis W/O Vise

Spec Ø20.5/20mm 125/92/80mm

Handlebar ■ 22.2mm □ 19.1mm

VLG-1168 (Closed End) 125/125mm

VLG-1168-1 (Closed End) 92/92mm

VLG-1168-2 (Closed End) 125/92mm

VLG-1168-3 (Open End) 125/80mm

VLG-1168-4 (Open End) 80/80mm



VLG-649

Material Hard Plastic/AT-Rubber/Cover

Key point Hand-Stitching

Vis • G1 • Lock Ring

Spec Ø22.4mm 140/95mm

Handlebar ■ 22.2mm □ 19.1mm

VLG-649AD2(S) (Open End) 140/140mm

VLG-649-1AD2 (Open End) 95/95mm

VLG-649D2(S) (Closed End) 140/140mm

VLG-649-1D2 (Closed End) 95/95mm

VLG-1863AD3



VLG-1863-12D3

VLG-1863

Material Hard Plastic/VEXK/Cover

Key point Hand-Stitching

Vis • G2 • Two Side Rings • Aluminum

Spec Ø22.4mm 130/131.5mm

Handlebar ■ 22.2mm □ 19.1mm

VLG-1863AD3 (Open End) 130/130mm

VLG-1863-12D3 (Closed End) 135/135mm



VLG-1814-S1~S4

Material AT-Rubber/Leather Or Standard Cover

Key point Hand-Stitching

Vis W/O Vise

Spec Ø19.5mm(Closed End) 135/135mm

Handlebar ■ 22.2mm □ 19.1mm

VLG-1814-1 92/92mm

VLG-1814-2 135/92mm



VLG-617

Material	Foam/Leather Or Standard Cover
Key point	Hand-Stitching
Vis	W/O Vise
Spec	Ø18mm 127/100/92/72mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-617A (Open End)	127/127mm
VLG-617-1A (Open End)	100/100mm
VLG-617-2A (Open End)	92/92mm
VLG-617-3A (Open End)	127/92mm
VLG-617-4A (Open End)	127/100mm
VLG-617-5A (Open End)	100/90mm
VLG-617-6A (Open End)	72/72mm
VLG-617-7A (Open End)	127/72mm



VLG-1782AD2

Material	AT-Rubber/Cover
Key point	Machine-Stitching
Vis	W/O Vise
Spec	Ø20.5mm 125/125mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-130A

Material	Foam/Cover
Key point	Hand-Stitching
Vis	W/O Vise
Spec	Ø20mm(Open End) Any Size
Handlebar	■ 22.2mm □ 19.1mm



VLG-1832AD2

Material	AT-Rubber/Cover
Key point	Machine-Stitching
Vis	W/O Vise
Spec	Ø20.5mm 125/125mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-520

Material	AT-Rubber/Cover
Key point	Fine-Stitching
Vis	W/O Vise
Spec	Ø20.5mm 175/130/85mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-520 (Closed End)	175/175mm
VLG-520-1 (Closed End)	130/130mm
VLG-520-2 (Closed End)	85/85mm
VLG-520-3 (Closed End)	130/85mm
VLG-520-4 (Closed End)	175/130mm



VLG-142A

Material	Foam/Leather Or Standard Cover
Key point	Hand-Stitching
Vis	W/O Vise
Spec	Ø19mm 128/114/100/92/76/50mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-142A (Open End)	128/128mm
VLG-142-1A (Open End)	114/114mm
VLG-142-2A (Open End)	100/100mm
VLG-142-3A (Open End)	128/114mm
VLG-142-4A (Open End)	128/100mm
VLG-142-5A (Open End)	128/92mm
VLG-142-6A (Open End)	92/92mm
VLG-142-7A (Open End)	76/76mm
VLG-142-9A (Open End)	114/76mm
VLG-142-10A (Open End)	50/50mm
VLG-142-11A (Open End)	128/76mm
VLG-142-12A (Open End)	114/92mm

Cover



VLG-519

Material	AT-Rubber/Cover
Key point	• Anatomic Design • Hand-Stitching
Vis	W/O Vise
Spec	Ø20mm 138/96/70mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-519A (Open End)	138/138mm
VLG-519-1A (Open End)	92/92mm
VLG-519-2A (Open End)	138/96mm
VLG-519-3A (Open End)	70/70mm
VLG-519-5A (Open End)	138/70mm



VLG-892

Material	AT-Rubber/Cover
Key point	• Machine-Stitching • Hand-Stitching
Vis	W/O Vise
Spec	Ø20.5/20mm 128/92/70mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-892-1A (Open End)(Hand-Stitching)	128/128mm
VLG-892-4A (Open End)(Hand-Stitching)	92/92mm
VLG-892-8A (Open End)(Hand-Stitching)	128/92mm
VLG-892-2A (Open End)(Machine-Stitching)	128/128mm
VLG-892-5A (Open End)(Machine-Stitching)	92/92mm
VLG-892-7A (Open End)(Machine-Stitching)	128/92mm
VLG-892-9A (Open End)(Machine-Stitching)	128/70mm



VLG-030


Material	AT-Rubber/Cover
Key point	• Machine-Stitching • Hand-Stitching
Vis	W/O Vise
Spec	Ø20mm 125/92/82mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-030-1 (Closed End)(Hand-Stitching)	125/125mm
VLG-030-2 (Closed End)(Machine-Stitching)	125/125mm
VLG-030-3 (Closed End)(Hand-Stitching)	125/92mm
VLG-030-4 (Closed End)(Machine-Stitching)	125/92mm
VLG-030-6 (Closed End)(Hand-Stitching)	92/92mm
VLG-030-7 (Closed End)(Machine-Stitching)	92/92mm
VLG-030-9 (Closed End)(Hand-Stitching)	125/82mm


VLG-039

Material	Super Light Foam/Cover
Key point	Hand-Stitching
Vis	W/O Vise
Spec	Ø19.5mm 135/105/85mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-039-1 (Closed End)	105/105mm
VLG-039-2 (Closed End)	105/135mm
VLG-039-3 (Closed End)	85/135mm

Hand-Stitching	
S1 Double cross stitch	S4 Single cross stitch
	
Wax rope 2mm	Wax rope 2mm
S2 Double cross stitch	S5 Parallel stitch
	
Resin 1mm	Wax rope 2mm
S3 Double cross stitch	S6 Parallel stitch
	
Wax rope 1mm	Leather 4mm

Foam



VLG-075

Material	Super Light Foam
Key point	Light Weight
Vis	W/O Vise
Spec	Ø19mm 130/117/100mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-075 (Open End)	117/117mm
VLG-075-1A (Open End)	100/100mm
VLG-075-2A (Open End)	130/130mm
VLG-075-3A (Open End)	130/117mm
VLG-075-4A (Open End)	130/100mm



VLG-075-2A

Material	NANO Foam
Key point	• Light Weight • Laser Logo
Vis	W/O Vise
Spec	Ø19mm(Open End) 130/130mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-074B

Material	High Density Foam
Key point	Light Weight
Vis	W/O Vise
Spec	Ø20mm 130/130mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-048

Material	Cork or Super Light Foam or Wooden
Key point	Light Weight
Vis	W/O Vise
Spec	Ø19/21.5mm 127/113.5/92mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-048 (Closed End)	127/127mm
VLG-048-1 (Closed End)	92/92mm
VLG-048-2 (Closed End)	127/92mm
VLG-048-3 (Closed End)	111/111mm
VLG-048-8 (Closed End)	113.5/113.5mm
VLG-048-9 (Closed End)	120/70mm

Foam



VLG-2090AD3 

Material	Hard Plastic/AT-Rubber/Super Light Foam
Key point	• Triple Density • Light Weight
Vis	• Plastic Clamp • One Piece
Spec	Ø22.4mm(Open End) 134.5/134.5mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-2083AD3 

Material	Hard Plastic/AT-Rubber/Super Light Foam
Key point	• Triple Density • Light Weight
Vis	• Plastic Clamp • One Piece
Spec	Ø22.4mm(Open End) 134.5/134.5mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-2064D3 

Material	Hard Plastic/AT-Rubber/Foam
Key point	Triple Density
Vis	• G2 • One Side Ring • Aluminum
Spec	Ø22.4mm(Closed End) 140/140mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-1880AD3

Material	Hard Plastic/AT-Rubber/Super Light Foam
Key point	Triple Density
Vis	• G2 • One Side Ring • Aluminum
Spec	Ø22.4mm(Open End) 131.3/131.3mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-864

Material	Hard Plastic/AT-Rubber/EVA Foam
Key point	• Triple Density • Colorful EVA Foam
Vis	• G2 • One Side Ring • Aluminum
Spec	Ø22.4mm 129/120mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-864-21AD3 (Open End)	129/129mm
VLG-864-24AD3 (Open End)	120/120mm

Foam



VLG-864

Material	Hard Plastic/AT-Rubber/Super Light Foam
Key point	• Triple Density • Light Weight
Vis	• G2 • One Side Ring • Aluminum
Spec	Ø22.4mm 130.7/129/120/92mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-864-1AD3 (Open End)	129/129mm
VLG-864-2AD3 (Open End)	92/92mm
VLG-864-4AD3 (Open End)	120/120mm
VLG-864-5AD3 (Open End)	129/92mm
VLG-864-12D3+VLP-171 (Closed End)	135/135mm



VLG-2078

Material	Foam
Key point	Light Weight
Vis	W/O Vise
Spec	Ø19mm(Closed End) 135/135mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-043

Material	Super Light Foam or Hight Density Foam
Key point	Light Weight
Vis	W/O Vise
Spec	Ø20mm 130/92mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-043 (Open End)	130/130mm
VLG-043-1A (Open End)	92/92mm
VLG-043-2A (Open End)	130/92mm
VLG-043-3A (Open End)	130/130mm



VLG-130A

Material	Super Light Foam or Hight Density Foam
Key point	Light Weight
Vis	W/O Vise
Spec	(Open End) Any Size



VLG-059-6A

Material	Super Light Foam or Hight Density Foam
Key point	Light Weight
Vis	W/O Vise
Spec	Ø20mm(Open End) 128/128mm
Handlebar	■ 22.2mm □ 19.1mm

Silicone

VLG-2080AD3 NEW

Material	Hard Plastic/AT-Rubber/Silicone Foam
Key point	Triple Density
Vis	• G2 • One Side Ring • Aluminum
Spec	Ø22.4mm(Open End) 132.3/132.3mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-2095AD3 NEW

Material	Hard Plastic/AT-Rubber/Silicone Foam
Key point	Triple Density
Vis	• G2 • One Side Ring • Aluminum
Spec	Ø22.4mm(Open End) 132.3/132.3mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-2052D2

Material	Hard Plastic/Silicone
Key point	Double Density
Vis	• G2 • One Side Ring • Aluminum
Spec	Ø22.4mm(Closed End) 131.6/131.6mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-1912A

Material	Silicone Foam
Key point	Light Weight
Vis	W/O Vise
Spec	Ø18mm(Open End) 137/137mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-1941

Material	100% Silicone
Key point	• Anti U/V • Natural material • Shock-absord
Vis	W/O Vise
Spec	Ø19.5mm(Closed End) 130/130mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-1906A

Material	Silicone Foam
Key point	• Light Weight • Suede
Vis	W/O Vise
Spec	130/130mm OD Installed 34/32/30mm
Handlebar	■ 22.2mm □ 19.1mm

Silicone



VLG-048

Material	100% Silicone
Key point	• Anti U/V • Natural material • Shock-absord
Vis	W/O Vise
Spec	Ø19.5mm(Closed End) 127/127mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-1643A

Material	100% Silicone
Key point	• Anti Slip • Anti U/V • Natural material
Vis	W/O Vise
Spec	Ø20mm(Open End) 127/127mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-1469AD3

Material	Hard Plastic/Gel/Silicone Foam
Key point	Light Weight
Vis	• G2 • Two Side Rings
Spec	Ø22.4mm(Open End) 129/129mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-1953 

Material AT-Rubber
 Key point Single Density
 Vis W/O Vise
 Spec Ø19.5mm(Closed End) 130/110/92/65mm
 Handlebar ■ 22.2mm □ 19.1mm

VLG-1953 (Closed End)	130mm
VLG-1953-1 (Closed End)	110mm
VLG-1953-2 (Closed End)	92mm
VLG-1953-3 (Closed End)	110/92mm
VLG-1953-4 (Closed End)	110/65mm
VLG-1953-5 (Closed End)	92/65mm
VLG-1953-6 (Closed End)	130/92mm



VLG-311

Material AT-Rubber/Gel
 Key point • Double Density • Single Density
 Vis W/O Vise
 Spec Ø19.5mm 130/110/100/86/60/45mm
 Handlebar ■ 22.2mm □ 19.1mm

VLG-311 (Closed End)	130/130 mm
VLG-311D2 (Closed End)	130/130 mm
VLG-311AD2 (Open End)	130/130 mm
VLG-311-1 (Closed End)	45/45 mm
VLG-311-2 (Closed End)	130/45 mm
VLG-311-4 (Closed End)	110/110 mm
VLG-311-5 (Closed End)	130/86 mm
VLG-311-6 (Closed End)	86/86 mm
VLG-311-7D2 (Closed End)	100/100 mm
VLG-311-9 (Closed End)	130/100 mm
VLG-311-10 (Closed End)	100/86 mm
VLG-311-11 (Closed End)	130/110 mm
VLG-311-14 (Closed End)	130/70 mm
VLG-311-16 (Closed End)	110/45 mm
VLG-311-18 (Closed End)	70/70 mm
VLG-311-21 (Closed End)	120/120 mm
VLG-311-22 (Closed End)	75/75 mm

VLG-1541

Material VEXK
 Key point Single Density
 Vis W/O Vise
 Spec Ø19/19.5mm 125/92mm
 Handlebar ■ 22.2mm □ 19.1mm

VLG-1541 (Closed End)	125/125mm
VLG-1541-1 (Closed End)	92/92mm
VLG-1541-2 (Closed End)	125/92mm



VLG-1745D2

Material AT-Rubber/Gel
 Key point Double Density
 Vis W/O Vise
 Spec Ø19.5mm(Closed End) 125/125mm
 Handlebar ■ 22.2mm □ 19.1mm



VLG-992-1

Material	AT-Rubber
Key point	Single Density
Vis	W/O Vise
Spec	Ø20.5mm 130/130mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-992-1 (Closed End)	130/130mm
VLG-992-1A (Open End)	130/130mm



VLG-298

Material	AT-Rubber/Gel
Key point	• Double Density • Single Density
Vis	W/O Vise
Spec	Ø19.5mm 125/92mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-298A (Open End)	125/125mm
VLG-298AD2 (Open End)	125/125mm
VLG-298-1AD2 (Open End)	92/92mm
VLG-298-2AD2 (Open End)	125/92mm



VLG-609

Material	AT-Rubber
Key point	Single Density
Vis	W/O Vise
Spec	Ø19.5mm 130/92mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-609A (Open End)	130/130mm
VLG-609 (Closed End)	130/130mm
VLG-609-1A (Open End)	92/92mm
VLG-609-1 (Closed End)	92/92mm
VLG-609-2A (Open End)	130/92mm
VLG-609-2 (Closed End)	130/92mm



VLG-975

Material	AT-Rubber/Gel
Key point	• Double Density • Single Density
Vis	W/O Vise
Spec	Ø20.5mm 125/125mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-975 (Closed End)	125/125mm
VLG-975D2 (Closed End)	125/125mm
VLG-975A (Open End)	125/125mm
VLG-975AD2 (Open End)	125/125mm

GLOW IN DARK





VLG-207

Material	AT-Rubber/Gel
Key point	• Double Density • Single Density
Vis	W/O Vise
Spec	Ø19.5mm 125/102/92/65mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-207 (Closed End)	125/125 mm
VLG-207A (Open End)	125/125 mm
VLG-207D2 (Closed End)	125/125 mm
VLG-207AD2 (Open End)	125/125 mm
VLG-207-1 (Closed End)	65/65 mm
VLG-207-2 (Closed End)	125/65 mm
VLG-207-3 (Closed End)	102/102 mm
VLG-207-4 (Closed End)	125/102 mm
VLG-207-5 (Closed End)	102/65 mm
VLG-207-6 (Closed End)	125/92 mm
VLG-207-7 (Closed End)	92/92 mm



VLG-185

Material	AT-Rubber/Gel
Key point	• Double Density • Single Density
Vis	W/O Vise
Spec	Ø19.5mm 130/92mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-185 (Closed End)	130/130 mm
VLG-185D2 (Closed End)	130/130 mm
VLG-185A (Open End)	130/130 mm
VLG-185AD2 (Open End)	130/130 mm
VLG-185-1 (Closed End)	92/92 mm
VLG-185-1D2 (Closed End)	92/92 mm
VLG-185-1A (Open End)	92/92 mm
VLG-185-1AD2 (Open End)	92/92 mm
VLG-185-2 (Closed End)	130/92 mm
VLG-185-2D2 (Closed End)	130/92 mm
VLG-185-2A (Open End)	130/92 mm
VLG-185-2AD2 (Open End)	130/92 mm



VLG-172

Material	AT-Rubber/Gel
Key point	• Double Density • Single Density
Vis	W/O Vise
Spec	Ø19.5mm 122.3/110/102/92/80/65mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-172 (Closed End)	122.3/122.3 mm
VLG-172D2 (Closed End)	122.3/122.3 mm
VLG-172A (Open End)	122.3/122.3 mm
VLG-172AD2 (Open End)	122.3/122.3 mm
VLG-172-1 (Closed End)	102/102 mm
VLG-172-2 (Closed End)	92/92 mm
VLG-172-3 (Closed End)	80/80 mm
VLG-172-4 (Closed End)	122.3/92 mm
VLG-172-5 (Closed End)	122.3/80 mm
VLG-172-6 (Closed End)	122.3/102 mm
VLG-172-7 (Closed End)	102/80 mm

VLG-172-8 (Closed End)	110/110 mm
VLG-172-9 (Closed End)	65/65 mm
VLG-172-10 (Closed End)	110/65 mm
VLG-172-11 (Closed End)	110/92 mm
VLG-172-12 (Closed End)	110/80 mm
VLG-172-13 (Closed End)	122.3/65 mm
VLG-172-14 (Closed End)	102/65 mm
VLG-172-15 (Closed End)	102/92 mm
VLG-172-16 (Closed End)	92/65 mm
VLG-172-17 (Closed End)	92/80 mm
VLG-172-18 (Closed End)	80/65 mm



VLG-2120D2 

NEW

Material	Hard Plastic/VEXK
Key point	Double Density
Vis	<ul style="list-style-type: none"> • Aluminum • One Side Ring
Spec	Ø22.4mm(Closed End) 140/140mm
Handlebar	<input checked="" type="checkbox"/> 22.2mm <input type="checkbox"/> 19.1mm



VLG-976

VLG-976-1AD2 VLG-976-2AD2

Material	Hard Plastic/VEXK
Key point	<ul style="list-style-type: none"> • Double Density • W/Flange
Vis	<ul style="list-style-type: none"> • G2 • Two Side Rings
Spec	Ø22.4mm 145/145mm
Handlebar	<input checked="" type="checkbox"/> 22.2mm <input type="checkbox"/> 19.1mm

VLG-1364-11D2-L1
VLG-1365-11D2-L1

Material	Hard Plastic/VEXK
Key point	<ul style="list-style-type: none"> • Double Density • W/Flange
Vis	<ul style="list-style-type: none"> • G2 • One Side Ring
Handlebar	<input checked="" type="checkbox"/> 22.2mm <input type="checkbox"/> 19.1mm

VLG-1364-11D2-L1 Ø22.4mm(Closed End) 115/115mm
VLG-1365-11D2-L1 Ø22.4mm(Closed End) 132/132mm



VLG-1364-11D2-L1

VLG-1365-11D2-L1



VLG-1872

Material	VEXK
Key point	Single Density
Vis	W/O Vise
Spec	Ø19.5mm 155/155mm
Handlebar	■ 22.2mm □19.1mm
VLG-1872 (Closed End) W/Flange	155/155mm
VLG-1872A (Open End) W/Flange	155/155mm
VLG-1872-1 (Closed End) W/O Flange	155/155mm
VLG-1872-1A (Open End) W/O Flange	155/155mm



VLG-1226

Material	AT-Rubber
Key point	Single Density
Vis	W/O Vise
Spec	Ø20.5mm 125/100mm
Handlebar	■ 22.2mm □19.1mm
VLG-1226A (Open End)	125/125mm
VLG-1226-1A (Open End)	100/100mm

VLG-992

Material	AT-Rubber
Key point	Single Density
Vis	W/O Vise
Spec	Ø20.5mm 135/135mm
Handlebar	■ 22.2mm □ 19.1mm
VLG-992 (Closed End)	135/135mm
VLG-992A (Open End)	135/135mm



VLG-411

Material	AT-Rubber
Key point	Mushroom Design
Vis	W/O Vise
Spec	Ø20.5mm 147/130mm
Handlebar	■ 22.2mm □ 19.1mm
VLG-411A (Open End)	147/147mm
VLG-411 (Closed End)	147/147mm
VLG-411-1A (Open End)	130/130mm
VLG-411-1 (Closed End)	130/130mm
VLG-411-3A (Open End) W/O Flange	147/147mm

GLOW IN DARK

VLG-411-3A
W/O Flange



VLG-200

Material AT-Rubber
Spec Ø19.5mm 120/105/75mm
Handlebar ■ 22.2mm □ 19.1mm

VLG-200 (Closed End)	120/120mm
VLG-200-1 (Closed End)	105/105mm
VLG-200-2 (Closed End)	120/75mm
VLG-200-3 (Closed End)	75/75mm
VLG-200-4 (Closed End)	105/75mm
VLG-200-6 (Closed End)	120/105mm



VLG-902

Material AT-Rubber
Spec Closed End 100/82mm

Handlebar		
VLG-902	■ 22.2mm □ 19.1mm	82/82mm
VLG-902-D	□ 22.2mm ■ 19.1mm	82/82mm
VLG-902-1	■ 22.2mm □ 19.1mm	100/100mm
VLG-902-1-D	□ 22.2mm ■ 19.1mm	100/100mm
VLG-902-2	■ 22.2mm □ 19.1mm	100/82mm
VLG-902-2-D	□ 22.2mm ■ 19.1mm	100/82mm



VLG-901

Material AT-Rubber
Spec Closed End 100/82mm

Handlebar		
VLG-901	■ 22.2mm □ 19.1mm	82/82mm
VLG-901-D	□ 22.2mm ■ 19.1mm	82/82mm
VLG-901-1	■ 22.2mm □ 19.1mm	100/100mm
VLG-901-1-D	□ 22.2mm ■ 19.1mm	100/100mm
VLG-901-2	■ 22.2mm □ 19.1mm	100/82mm
VLG-901-2-D	□ 22.2mm ■ 19.1mm	100/82mm



VLG-200(Cover)

Material	AT-Rubber/Cover
Spec	Ø19.5mm 120/105/75mm
Handlebar	■ 22.2mm □ 19.1mm
VLG-200 (Closed End)	120/120mm
VLG-200-1 (Closed End)	105/105mm
VLG-200-2 (Closed End)	120/75mm
VLG-200-3 (Closed End)	75/75mm
VLG-200-4 (Closed End)	105/75mm
VLG-200-6 (Closed End)	120/105mm



VLG-696N

Material	AT-Rubber
Spec	Ø17.5mm(Closed End) 90/90mm
Handlebar	□ 22.2mm ■ 19.1mm



VLG-105

Material	AT-Rubber/Cover
Spec	Ø19.5mm 125/110/102/90/75mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-105 (Closed End)	125/125 mm
VLG-105-1 (Closed End)	102/102 mm
VLG-105-2 (Closed End)	125/102 mm
VLG-105-4 (Closed End)	110/75 mm
VLG-105-5 (Closed End)	125/90 mm
VLG-105-6 (Closed End)	70/70 mm
VLG-105-7 (Closed End)	90/90 mm
VLG-105-8 (Closed End)	125/75 mm
VLG-105-9 (Closed End)	102/70 mm
VLG-105-10 (Closed End)	102/75 mm
VLG-105-11 (Closed End)	125/70 mm



VLG-2061D2

Material	Hard Plastic/VEXK
Key point	Double Density
Vis	• Plastic Clamp • One Piece
Spec	Ø19.1mm(Closed End) 115/115mm
Handlebar	□ 22.2mm ■ 19.1mm



VLG-1851D2

Material	Hard Plastic/VEXK
Key point	Double Density
Vis	• Plastic Clamp • One Piece
Spec	Ø22.4mm(Closed End) 116.2/116.2mm
Handlebar	■ 22.2mm □ 19.1mm



VLG-1893

Material	AT-Rubber
Key point	Single Density
Vis	W/O Vise
Spec	Ø19mm 115/76mm
Handlebar	■ 22.2mm □ 19.1mm

VLG-1893 (Closed End)	115/115mm
VLG-1893-1 (Closed End)	76/76mm
VLG-1893-2 (Closed End)	115/76mm



VLG-1979

Material	AT-Rubber
Key point	Single Density
Vis	W/O Vise
Spec	Closed End 115/76mm

Handlebar	■ 22.2mm □ 19.1mm	115/115mm
VLG-1979	■ 22.2mm □ 19.1mm	115/115mm
VLG-1979-2	■ 22.2mm □ 19.1mm	115/76mm
VLG-1979-D	□ 22.2mm ■ 19.1mm	115/115mm
VLG-1979-2-D	□ 22.2mm ■ 19.1mm	115/76mm



VLG-1923

Material	AT-Rubber
Key point	Single Density
Vis	W/O Vise
Spec	Closed End 82/100mm

Handlebar	■ 22.2mm □ 19.1mm	82/82mm
VLG-1923	■ 22.2mm □ 19.1mm	82/82mm
VLG-1923-D	□ 22.2mm ■ 19.1mm	82/82mm
VLG-1923-1	■ 22.2mm □ 19.1mm	100/100mm
VLG-1923-1-D	□ 22.2mm ■ 19.1mm	100/100mm



VLG-1888

Material	AT-Rubber
Key point	Single Density
Vis	W/O Vise
Spec	Closed End 100/100mm

Handlebar	■ 22.2mm □ 19.1mm	100/100mm
VLG-1888	■ 22.2mm □ 19.1mm	100/100mm
VLG-1888-D	□ 22.2mm ■ 19.1mm	100/100mm

TAPES



Shockproof

This extra shockproof pad beneath microfiber tape optimizes shock absorbing function and reduces stress on road cyclist's hands. Giving riders superior experiences on their bikes.



Vex Gel(Smart Gel)

Velo's patented Vex Gel is especially designed to provide higher performance by adding extra layer of Vex Gel and to provide better wrapping function without leaving any stain on the handlebar.

PU TAPE

- New
- Good extensibility



VLT-5122



VLT-5123

Gravel bike-Anti-Slip Tape

- Good flexibility
- Shock-Proof
- Available for 2.5/3/3.5 mm thickness
- Stretchable



VLT-5102

Sustainable Tape

- 20% recycled EVA



VLT-1001

Elastomer Tape

- Surface protruded points are designed to have excellent anti-slip function
- Good flexibility and shock absorption
- Standard thickness 2.5mm, Other thickness choices 3 or 3.5 mm



VLT-8121



VLT-8111

1000 Classic

RECYCLE



VLT-1001

Texture • EVA • Embossed • 3D Logo
 Key point • Gel • Vex Gel (Smart Gel)
 • VLT-1001 • VLT-1001G • VLY-1001SG



VLT-1051

Texture Diamond Pattern
 Key point • Gel • Vex Gel (Smart Gel)
 • VLT-1051 • VLT-1051G • VLT-1051SG

VLT-1011

Texture Suede
 Key point • Gel • Vex Gel (Smart Gel)
 • VLT-1011 • VLT-1011G • VLT-1011SG



VLT-1052

Texture Chinese Style Pattern
 Key point • Gel • Vex Gel (Smart Gel)
 • VLT-1052 • VLT-1052G • VLT-1052SG

2000 Leather-Looking



VLT-2087

Texture 3D Carbon Looking
 Key point Microfiber
 • VLT-2087 • VLT-2087G • VLT-2087SG

VLT-2032D2-R

Texture PU Shockproof
 Key point • Shockproof • Reflective
 • VLT-2032D2-R
 • VLT-2032D2-RG
 • VLT-2032D2-RSG



VLT-2113

Texture • PU • Print Pattern
 Key point • Nano Finshing • Any Design



VLT-2018

Texture Velvet
 Key point • Gel • Vex Gel (Smart Gel)
 • VLT-2018 • VLT-2018G • VLT-2018SG

VLT-2005

Texture Carbon Looking
 Key point • Gel • Vex Gel (Smart Gel)
 • VLT-2005 • VLT-2005G • VLT-2005SG

VLT-2019

Texture • Pinholes • Microfiber
 Key point • Light Weight
 • VLT-2019H • VLT-2019LH

2000 Leather-Looking



VLT-2019HD2

Texture	Pinholes
Key point	<ul style="list-style-type: none"> • Shockproof • Vex Gel (Smart Gel)
VLT-2019HD2-R (Reflective)	

VLT-2019HD2

VLT-2019HD2G

VLT-2019HD2SG



VLT-2023

Texture	• Pinholes	• Velvet
Key point	Light Weight	

VLT-2023H

VLT-2023LH



VLT-2023LH



VLT-2023HD2

Texture	• Pinholes	• Velvet
Key point	Shockproof	

VLT-2023HD2-R (Reflective)

VLT-2023HD2

VLT-2023HD2G

VLT-2023HD2SG



VLT-2032

Texture	PU Shockproof
Key point	<ul style="list-style-type: none"> • Gel • Vex Gel (Smart Gel)
VLT-2032	
VLT-2032G	
VLT-2032SG	



VLT-2032HD2

Texture	PU Shockproof
Key point	Two Tone Color

VLT-2032HD2

VLT-2032HD2G

VLT-2032HD2SG

3000 Hybrid/Two-Tone+



VLT-3114

Texture	TPU
Key point	<ul style="list-style-type: none"> • 2D Rainbow • Two Tone
• VLT-3114	

• VLT-3114G

• VLT-3114SG



VLT-3055

Texture	Geometry Pattern
Key point	<ul style="list-style-type: none"> • Two Tone • Anti-slippery
• VLT-3055	
• VLT-3055G	
• VLT-3055SG	



VLT-3074

Texture	PU Shockproof
Key point	<ul style="list-style-type: none"> • Two Tone • Pinholes
• VLT-3074D2G	
• VLT-3074SG	
• VLT-3074HD2G	
• VLT-3074HD2SG	



VLT-3089HD2

Texture	Diamond Pattern
Key point	<ul style="list-style-type: none"> • Two-Tone • Super Anti-slippery
• VLT-3089HD2	
• VLT-3089HD2G	
• VLT-3089HD2SG	

5000 Anti-Slip



VLT-5122

Texture PU

Key point • Good extensibility

[VLT-5122](#)[VLT-5122G](#)[VLT-5122SG](#)

VLT-5123

Texture PU

Key point • Good extensibility

[VLT-5123](#)[VLT-5123G](#)[VLT-5123SG](#)

VLT-5102

Texture • Diamond • Rainbow gradient

Key point • Super Anti-slippery • Stretchable • Shockproof

[• VLT-5102](#) [• VLT-5102G](#) [• VLT-5102SG](#)VLT-5102D2L
(LIGHT WEIGHT)

VLT-5102HD2

Texture • Diamond Pattern • Chinese
• GeometryKey point • Two-Tone • Super Anti-slippery
• Gel • Vex Gel (Smart Gel)[VLT-5102HD2-R \(Reflective\)](#)[VLT-5102HD2](#)[VLT-5102HD2G](#)[VLT-5102HD2SG](#)

VLT-5095

Texture Metal Looking

Key point Nano Finishing



VLT-5072

Texture Diamond Pattern or
CustomizedKey point • Gel • Vex Gel (Smart Gel)
• Wearproof[VLT-5072](#)[VLT-5072G](#)[VLT-5072SG](#)



VLT-5073

Texture • Pinholes
Key point • Shockproof • Honeycomb Pattern



VLT-5073H

- VLT-5073 • VLT-5073H
- VLT-5073G
- VLT-5073SG



VLT-5094

Texture PU
Key point Nano Finishing
• VLT-5094 • VLT-5049G • VLT-5094SG



VLT-5055

Texture Geometry Pattern
Key point Vex Gel (Smart Gel)

VLT-5055
VLT-5055G
VLT-5055SG



VLT-5049

Texture • Anti-Slip • Elastic • Diamond Pattern
Key point • Shockproof • Vex Gel (Smart Gel)
VLT-5049HD2 VLT-5049
VLT-5049HD2G VLT-5049G
VLT-5049HD2SG VLT-5049SG

6000 Silicone



VLT-6097

Texture Snake Pattern
Key point • Silicone • Shockproo
• VLT-6097 • VLT-6097G • VLT-6097SG

VLT-6098

Texture Wavy Pattern
Key point • Silicone • Shockproo
• VLT-6098 • VLT-6098G • VLT-6098SG

VLT-6093

Texture Diamond Pattern
Key point • Silicone • Shockproo
• VLT-6093 • VLT-6093G • VLT-6093SG



VLT-6083

Texture Matte
Key point • Silicone • Anti-slippery

7000 Other



VLT-7115

Texture TPU 3M Reflective film

Key point • Shockproof
• Super Anti-slippery

• VLT-7115 • VLT-7115G • VLT-7115SG



VLT-7116

Texture • TPU • Glitter line

Key point Shockproof

• VLT-7116 • VLT-7116G • VLT-7116SG



VLT-7109

Texture PU

Key point • Colorful • Shockproof

• VLT-7109 • VLT-7109G • VLT-7109SG



Color Option

VLT-7120

Texture Weaving process

Key point Anti-slippery

• VLT-7120 • VLT-7120G • VLT-7120SG



LEATHER

VLT-7024

Texture • Pinholes • Classic Style

Color Options Black/Brown/Tan/White

Key point Leather

• VLT-7024 • VLT-7024G • VLT-7024SG

• VLT-7024H

8000 ET Tape



VLT-8121

NEW

Texture ELASTOMER

Key point • Super Anti-slippery
• Durable

• VLT-8121 • VLT-8121G • VLT-8121SG



VLT-8111

NEW

Texture • Diamond Pattern


• ELASTOMER

Key point • Super Anti-slippery
• Durable

• VLT-8111 • VLT-8111G • VLT-8111SG

OTHERS

Saddle Covers
Plugs
Chain Stay Protectors
Pivotal Seatposts
Gel Pads



Saddle Covers



VLC-321GF/322GF/323GF

Key Point • Gel Tech • Air Form

Size VLC-321GF/254~280x178~203mm
VLC-322GF/249~274x140~165mm
VLC-323GF/229~254x216~241mm

VLC-321MF/322MF/323MF

Key Point Memory Foam

Size VLC-321MF/254~280x178~203mm
VLC-322MF/249~274x140~165mm
VLC-323MF/229~254x216~241mm

VLC-321/322/323

Key Point Gel Tech

Size VLC-321/254~280x178~203mm
VLC-322/249~274x140~165mm
VLC-323/229~254x216~241mm

VLC-191/192

Key Point Gel Tech

Size VLC-191/254~280x178~203mm
VLC-192/249~274x140~165mm

VLC-171/172/173

Key Point Gel Tech

Size VLC-171/254~280x178~203mm
VLC-172/249~274x140~165mm
VLC-173/229~254x216~241mm

VLC-171MF/172MF/173MF

Key Point Memory Foam

Size VLC-171MF/254~280x178~203mm
VLC-172MF/249~274x140~165mm
VLC-173MF/229~254x216~241mm

VLC-171-1MF/172-1MF/173-1MF

Key Point Memory Foam

Size VLC-171-1MF/254~280x178~203mm
VLC-172-1MF/249~274x140~165mm
VLC-173-1MF/229~254x216~241mm

VLC-060/061/062/063/064/066

Key Point Gel Tech

Size VLC-060/244~269x254~279mm
VLC-061/254~280x178~203mm
VLC-062/249~274x140~165mm
VLC-063/229~254x216~241mm
VLC-064/203~229x198~224mm
VLC-066/205~240x150~180mm

Saddle Covers



VLC-050/051/052/053/054/056

Key Point	Gel Tech
Size	VLC-050/244~269x254~279mm VLC-051/254~280x178~203mm VLC-052/249~274x140~165mm VLC-053/229~254x216~241mm VLC-054/203~229x198~224mm VLC-056/205~240x150~180mm



VLC-040/041/042/043/044

Key Point	Gel Tech
Size	VLC-040/244~269x254~279mm VLC-041/254~280x178~203mm VLC-042/249~274x140~165mm VLC-043/229~254x216~241mm VLC-044/203~229x198~224mm



VLC-030/031/032/033/034/036

Key Point	Gel Tech
Size	VLC-030/244~269x254~279mm VLC-031/254~280x178~203mm VLC-032/249~274x140~165mm VLC-033/229~254x216~241mm VLC-034/203~229x198~224mm VLC-036/205~240x150~180mm



VLC-030MF/031MF/032MF

Key Point	Memory Foam
Size	VLC-030MF/244~269x254~279mm VLC-031MF/254~280x178~203mm VLC-032MF/249~274x140~165mm VLC-033MF/229~254x216~241mm VLC-034MF/203~229x198~224mm VLC-036MF/205~240x150~180mm



VLC-021-1/022-1/023-1

Key Point	Gel Tech
Size	VLC-021-1/254~280x178~203mm VLC-022-1/249~274x140~165mm VLC-023-1/229~254x216~241mm



VLC-021-1MF/022-1MF/023-1MF

Key Point	Memory Foam
Size	VLC-021-1MF/254~280x178~203mm VLC-022-1MF/249~274x140~165mm VLC-023-1MF/229~254x216~241mm

Saddle Covers



VLC-020/021/022/023/024

Key Point Gel Tech

Size VLC-020/244~269x254~279mm
VLC-021/254~280x178~203mm
VLC-022/249~274x140~165mm
VLC-023/229~254x216~241mm
VLC-024/203~229x198~224mm

VLC-020MF/021MF/022MF/023MF

Key Point Memory Foam

Size VLC-020/244~269x254~279mm
VLC-021/254~280x178~203mm
VLC-022/249~274x140~165mm
VLC-023/229~254x216~241mm
VLC-024/203~229x198~224mmVLC-
983/983-1/983-2/983-4/
983-5/983-6

Key Point All Sizes Available

Size VLC-983/229~254x216~241mm
VLC-983-1/254~280x178~203mm
VLC-983-2/249~274x140~165mm
VLC-983-4/203~229x198~224mm
VLC-983-5/205~240x150~180mm
VLC-983-6/345~355x305~315mm



VLP-182

Material	Wood+Cork
Body Diameter	20mm
Cap Diameter	28mm



VLP-215

Material	Cork
Body Diameter	17.6mm
Cap Diameter	27mm



VLP-178

Material	PE
Body Diameter	20mm
Cap Diameter	21mm



VLP-171

Material	• PE • Aluminum
Body Diameter	Any Sizes
Cap Diameter	32mm



VLP-170

Material	Rubber
Body Diameter	20.5mm
Cap Diameter	30mm



VLP-137

Material	ABS
Body Diameter	18.2mm
Cap Diameter	25.5MM



VLP-134

Material	ABS+Aluminum
Body Diameter	18.2mm
Cap Diameter	25.4mm



VLP-116

Material	ABS
Body Diameter	18.2mm
Cap Diameter	25.4mm



VLP-87/87-1/87-2

Material	Rubber
Body Diameter	20/17/19mm
Cap Diameter	30mm



VLP-71

Material	PP
Body Diameter	20.5mm
Cap Diameter	22.5mm

VLP-69-1

VLP-69

3mm

VLP-69V2

3mm

VLP-69-1V2



VLP-69/69-1/69V2/69-1V2

Material	PE
Body Diameter	20mm
Cap Diameter	27/32mm

VLP-60

Material	PE
Body Diameter	22.4mm
Cap Diameter	27mm



VLP-59

Material	PE+Rubber
Body Diameter	13/15/18mm
Cap Diameter	23.7mm



VLP-56-10

Material	• PE • Bubble Sticker
Body Diameter	21.7mm
Cap Diameter	22mm



VLP-56-1

Material	• PE • Bubble Sticker
Body Diameter	22mm
Cap Diameter	24mm



VLP-56-11



VLP-56-12V2



VLP-53



VLP-49-2

VLP-56/56-11/56-12V2/56V2

Material	PE
Body Diameter	21.7/21.7/16.5mm
Cap Diameter	25/22/19mm

Material	ABS Resin
Body Diameter	20mm
Cap Diameter	27mm

Material	• PE • Bubble Sticker
Body Diameter	20.6mm
Cap Diameter	25.3mm



VLP-49-7

Material	ABS+Aluminum
Body Diameter	20.6mm
Cap Diameter	26mm



VLP-49/49-1/49-5



VLP-47-1



VLP-47

VLP-47V2

VLP-47/47V2

Material	PE
Body Diameter	20.5mm
Cap Diameter	21.5mm



VLP-44/45/46

Material	PE
Body Diameter	25/20.5/21.9mm
Cap Diameter	27/22/22.2mm



VLP-28

Material	PE
Body Diameter	15.7mm
Cap Diameter	22mm



VLP-40-9

Material	Aluminum+Rubber
Body Diameter	13/15/18mm
Cap Diameter	25.5mm



VLP-40-7

Material	Aluminum+Rubber
Body Diameter	13/15/18mm
Cap Diameter	30.5mm



VLP-40-6

Material	PE+Rubber
Body Diameter	13/15/18mm
Cap Diameter	30.5mm



VLP-40

Material	PP+Aluminum
Body Diameter	18mm
Cap Diameter	30.5mm



VLP-36-2B

Material	PE
Body Diameter	16.4mm
Cap Diameter	32mm



VLP-01

Material	PE
Body Diameter	22mm
Cap Diameter	22mm



VLP-36

Material	PE
Body Diameter	15mm
Cap Diameter	22mm



VLP-35/35V2

Material	PE
Body Diameter	20.3mm
Cap Diameter	23.5mm



VLP-31/VLP-32

Material	PE
Body Diameter	20.3/22.4mm
Cap Diameter	22/24mm



VLP-15

Material	PE
Body Diameter	18/16/14mm

VLP-15	Cap Diameter	Body Diameter
VLP-15-7	31.3mm	18mm
VLP-15-14	31.3mm	14mm
VLP-15-16	31.3mm	16mm
VLP-15-17	26.5mm	16mm
VLP-15-8	28.2mm	18mm

VELO'S UNRIVALED INJECTION MOLDING ADVANTAGE


Since Velo's founding, the company has built up an unparalleled degree of technical knowledge, professionalism and reliability in the manufacturing of its saddles. However, perhaps less well known is that the company also uses its accumulated knowledge and technology to provide Taiwan's premier injection molding services for the OE production other parts based on customers designs.

Recently more and more globally-acclaimed customers have been discovering that the extent of Velo's expertise is not limited to saddles, grips, handlebar tapes and that the company is also able to offer the advantages accumulated over 45 years to produce any injection part.

No substitute for being No.1

Velo is not shy about innovating for the future. Its previous developments for saddles include such ground-breaking tech as double and triple density injection molding techniques, ArcTech and Wing Bow saddle suspension systems and the O-Zone cooling system. These innovative philosophies and advanced production techniques have been passed on to the company's OE production of other injection-molded products.

Velo is able to boast that it can produce injection-molded parts of any shape the customer desires. Additionally, the company is able to accommodate a wide range of state-of-the-art production techniques including inserts of different materials such as metals or even magnets. Double and even triple density injection products, where two or three different densities of plastic-usually one harder and the other softer, are injected on the same machine are also offered, as well as a complete range of color availability.



You name it, Velo can make it

For many years, Velo has been producing OE injection-molded parts to customers' designs, clients including many of the most renowned brands in the world. This wide spectrum of products ranging from fairings to fenders, downtube protectors and chainstay protectors to chain-guards. Velo even manufactures parts for customers outside the bike industry, regularly supplying such products as hand guards or knee protectors to clients in the motorbike industry. The burgeoning growth in e-bike sales worldwide has also led to Velo producing an increasing number of parts for electric assist bikes including motor covers, motor protectors, battery covers and battery protectors. With Velo's injection processes, the sky really is the limit for customer product designs.

Unrivaled capability and service

Velo main plant in Taiwan has over 100 cutting-edge injection molding machines turning out precision parts 24 hours a day. Velo factories in Kunshan, Shenzhen and Ho Chi Minh city further enhance and expand the company's production capabilities and capacity.

All tooling is carried out at the Taiwanese plant where Velo is able to take advantage its many years experience and CNC machines to rapidly and professionally open molds based on customer designs.

Bringing together all of these advantages, Velo is able to offer unrivaled service, cutting-edge technical innovations, and an unlimited choice in customer-designed injection products.

Chain Stay Protectors




VLF-003-49

Material	TPU
Diameter	Any Size
Thickness	0.3mm
Key Point	• Transparent • UV resistant



VLF-003-19

Material	PU Fabric Carbon Looking
Diameter	Any Size
Thickness	1.2mm
Key Point	Eco Friendly Cover



VLF-006-2

Material	TPU with Texture
Diameter	Any Size
Thickness	0.4mm
Key Point	• Decomposable • Eco Friendly Cover



VLF-006-36

Material	Silicone
Diameter	Any Size
Thickness	0.6/1/1.5/2/3mm
Key Point	• High Temperature Resistance • Waterproof • Non-toxic



VLF-003-36

Material	Silicone
Diameter	Any Size
Thickness	0.6/1/1.5/2/3mm
Key Point	• High Temperature Resistance • Waterproof • Non-toxic



VLF-003-21

Material	MATTE PU
Diameter	Any Size
Thickness	0.6mm
Key Point	• Flat Texture • Eco Friendly Cover



VLF-012

Material	Leather
Diameter	Any Size
Thickness	1.2mm
Key Point	• Leather • Wear-resistant



VLF-007

Material	Micro Injection+
Diameter	Any Size
Thickness	4.7mm
Key Point	• Microinjection Part Logo • Shockproof



VLF-003-2/003-5

Material	• Clear • Glass Fiber
Diameter	Any Size
Thickness	0.4/0.7mm
Key Point	• High Tensile Strength • High Temperature Resistance



VLF-005

Material	Lycra/Neoprene
Diameter	Any Size
Thickness	4.5mm
Key Point	• Chain Pattern • Hot Press



VLF-001KP2

Material	KP2/Neoprene
Diameter	Any Size
Thickness	4mm
Key Point	Wear-resistant



VLF-001

Material	Lycra/Neoprene
Diameter	Any Size
Thickness	3mm
Key Point	• brand Logo • Print Logo

Pivotal Seatposts

OTHERS



Ø27.2mm

Material	Nylon Fiber Injection
Lenght	150/135/75mm



Ø25.4mm


Material	Nylon Fiber Injection
Lenght	150/135/75mm



Ø22.2mm

Material	Nylon Fiber Injection
Lenght	135/90mm

Gel Pads



VLZ-050

Material	Neoprene Foam
Diameter	Light Weight
Size	200x35mmx2Pcs
	145x35mmx2Pcs



VLZ-042

Material	Gel
Diameter	Weatherproof
Size	150x25mmx2Pcs



VLZ-037

Material	Gel
Diameter	Weatherproof
Size	200x35mmx2Pcs
	145x35mmx2Pcs



VLZ-008

Material	Gel
Diameter	Weatherproof
Size	150x25mmx2Pcs

SADDLES

Competition

Model No.	Size(mm)	Weight(g)	Un/CTN	Cuft
VL-6441	260x188	371	20	2.0
VL-6319	262x193	371.1	20	2.0
VL-6311	264x175	362.8	20	2.0
VL-5138	198x142	236.9	20	1.07
VL-5119	192x133	222.3	20	1.07
VL-4393	256x155	231.2	20	1.52
VL-4365	256x143	232.9	20	1.52
VL-1966	244x148	236.9	20	1.52
VL-1963	265x145	133.6	20	1.52
VL-1863	279x134	206.8	20	1.28
VL-1862	279x134	199	20	1.47
VL-1799	280x140	205.7	20	1.47
VL-1782	280x140	201.2	20	1.35
VL-1776	272x144	232.1	20	1.27
VL-1747	273x126	183.2	20	1.35
VL-1684	275x128	124.9	20	1.35
VL-1A86	243x158	257.3	20	1.4
VL-1A85	243x149	210.5	20	1.4
VL-1A81	275x128	132.6	20	1.35
VL-1A66	280x136	254.1	20	1.31
VL-1A63	274x143	208.5	20	1.27
VL-1A57	244x146	153.3	20	1.4
VL-1A47	242x142	204.2	20	1.4
VL-1A37	241x143	136.7	20	1.4
VL-1A36	284x143	283.1	20	1.47
VL-1A04	243x155	216.9	20	1.4
VL-1A03	268x146	164	20	1.52
VL-1B96	248x148	249.1	20	1.52
VL-1B12	273x143	253.7	20	1.3
VL-1C58	256x155		20	1.52
VL-1C57	252x142		20	1.52
VL-1C55	256x146		20	1.52
VL-1C54	256x146	280	20	1.52
VL-1C53	255x146	281.4	20	1.52
VL-1C52	256x146	277.1	20	1.52
VL-1C51	256x155	298	20	1.52
VL-1C50	255x146	293.8	20	1.52
VL-1C49	243x143	216.3	20	1.4
VL-1C47	249x136	270.9	20	1.4
VL-1C46	242x141	270.5	20	1.4
VL-1C29	248x148	220.3	20	1.52
VL-1C28	254x144	251	20	1.52
VL-1C27	241x151	230.6	20	1.4
VL-1C22	254x144	242	20	1.54

Performance

Model No.	Size(mm)	Weight(g)	Un/CTN	Cuft
VL-2416	247x147	258.2	20	1.4
VL-2379	245x145	236.4	20	1.4
VL-2378	242x145	218.1	20	1.4
VL-2341	255x132	237	20	1.4
VL-2244	260x134	254.1	20	1.4

Sports

Model No.	Size(mm)	Weight(g)	Un/CTN	Cuft
VL-3654	258x161	305.3	20	1.4
VL-3644	258x152	326.8	20	1.4
VL-3641	253x143	306	20	1.4
VL-3639	262x162	352	20	1.4
VL-3634	253x143	302.3	20	1.4
VL-3628	262x162	331.3	20	1.4
VL-3627	256x145	355.9	20	1.4
VL-3613	243x143	265	20	1.3
VL-3594	270x165	316.8	20	1.4
VL-3593	270x165	336.7	20	1.40
VL-3586	275x152	312.9	20	1.47
VL-3579	243x133	233.6	20	1.3
VL-3575	252x146	337.5	20	1.4
VL-3569	253x143	317.6	20	1.4
VL-3564	270x165	334.1	20	1.5
VL-3530	276x153	294.3	20	1.92
VL-3528	241x134	284.2	20	1.3
VL-3517	276x166	376.6	20	1.93
VL-3516	269x155	327.7	20	1.5
VL-3515	241x134	256.5	20	1.3
VL-3475	270x144	301.6	20	1.4
VL-3450	275x152	323.9	20	1.47
VL-3448	270x152	277.2	20	1.40
VL-3447	271x145	273.2	20	1.46
VL-3446	282x148	252.5	20	1.46
VL-3410	277x158	273.8	20	1.62
VL-3631	264x154	344	20	1.5
VL-3630	263x145	321.5	20	1.4
VL-3389	277x158	279	20	1.62
VL-3381	280x148	252	20	1.47
VL-3379	270x152	277.6	20	1.40
VL-3378	270x145	266.9	20	1.40
VL-3126	270x170	352.5	20	1.80

Women

Model No.	Size(mm)	Weight(g)	Un/CTN	Cuft
VL-4496	274x151	364.8	20	1.38
VL-4495	268x162	345.8	20	1.83
VL-4494	255x156	360.3	20	1.69
VL-4492	270x148	246.3	20	1.69
VL-4470	270x151	254	20	1.3
VL-4437	245x165	300	20	1.56
VL-4432	267x151	296.1	20	1.52
VL-4378	266x149	236.9	20	1.29
VL-4376	266x149	269.7	20	1.29
VL-4358	276x161	345.5	20	1.69
VL-4333	278x165	295.7	20	1.69
VL-4252	264x165	341	20	1.83
VL-4216	274x137	267	20	1.34
VL-4190	255x175	370.4	20	1.84
VL-4098	248x167	351.2	20	1.83

Junior

Model No.	Size(mm)	Weight(g)	Un/CTN	Cuft
VL-5163	237x134	321g	20	1.17
VL-5144	230x139	329g	20	1.17

Junior

Model No.	Size(mm)	Weight(g)	Un/CTN	Cuft
VL-5143	182x129	239.9	20	1.17
VL-5140	235x143	238.2	20	1.35
VL-5124	234x132	214.1	20	1.17
VL-5120	255x133	271.9	20	1.35
VL-5113	180x118	185.9	20	2.24
VL-5109	202x142	294.9	20	2.24
VL-5104	258x137	270	20	1.29
VL-5095	258x135	259.4	20	1.29
VL-5093	207x146	244.3	20	1.09
VL-5088	249x158	309.1	20	1.24
VL-5086	206x123	275.4	20	1.1
VL-5073	215x140	220	20	1.34
VL-5063	255x135	238.8	20	1.32
VL-5062	232x135	242.3	20	1.17
VL-5061	255x128	231.3	20	1.29
VL-5020	203x137	255.9	20	1.1

Comfort/City

Model No.	Size(mm)	Weight(g)	Un/CTN	Cuft
VL-6582	260x195	452.4	20	2.19
VL-6581	265x200	499	20	2.2
VL-6580	268x223	720	20	2.23
VL-6569	266x171	393.7	20	2.2
VL-6568	255x185	403	20	2.2
VL-6567	255x176	404.4	20	2.2
VL-6535	260x190	361.4	20	2.23
VL-6471	270x195	390	20	2.27
VL-6397	283x192	374.7	20	2.2
VL-6396	271x213	379.1	20	2.23
VL-6395	265x200	409	20	2.2
VL-6336	261x192	391.3	20	2.19
VL-6330	271x188	406.4	20	2.27
VL-6318	264x192	406.4	20	2.0
VL-6317	280x170	374	20	2.28
VL-6310	262x192	432	20	2.23
VL-6309	282x172	370	20	2.28
VL-6234	280x181	382.8	20	2.28
VL-6231	264x200	414	20	2.05
VL-6221	270x210	427	20	2.64

Pivotal/Tripod/BMX

Model No.	Size(mm)	Weight(g)	Un/CTN	Cuft
VL-7236	234x138	285.8	20	2.00
VL-7232	230x141	340.2	20	2.00
VL-7222	224x129	244.9	20	1.28
VL-7157	232x141	328.5	20	2.17
VL-7156	230x132	301	20	2.17
VL-7148	223x119	202	20	1.40
VL-7130	230x142	339.4	20	1.87
VL-7122	223x120	255	20	1.20
VL-7083	220x123	214.1	20	1.20
VL-7049	230x132	255.7	20	1.20
VL-7046	230x132	276	20	2.26
VL-7040	248x140	277.5	20	1.68

Cruiser

Model No.	Size(mm)	Weight(g)	Un/CTN	Cuft
VL-8127E	271x225	783	10	2.70
VL-8088	267x257	659.7	8	2.09
VL-8033E	275x284	965	8	2.9

VL-8030	269x255	735	8	2.09
VL-8016	270x254	1673	8	2.82
VL-0767	255x253	1035	8	2.29

V-Form

Model No.	Size(mm)	Weight(g)	Un/CTN	Cuft
VL-6574	265x197	490.6	20	2.0
VL-6571	263x202	472	20	2.1
VL-6570	280x175	397.2	20	2.2
VL-6522	269x200	400.8	20	2.23
VL-6488	271x199	430.6	20	2.23
VL-6487	285x180	423.9	20	2.2
VL-6472	265x198	454.9	20	2.0
VL-6470	280x175	408.1	20	2.0
VL-6469	262x199	426.8	20	2.1
VL-6450	270x196	480.5	20	2.3
VL-6434	270x196	473.4	20	2.3
VL-6420	265x213	434.9	20	2.45
VL-6418	268x202	519	20	2.3
VL-6393	265x213	503.6	20	2.45
VL-6391	273x210	562.6	20	2.3
VL-5150	180x117	252.1	20	1.2
VL-4480	245x161	396.3	20	1.4
VL-4479	248x168	334.6	20	1.4
VL-4283	267x142	311	20	1.39
VL-4254	263x160	397.1	20	1.8
VL-4290	255x175	380.2	20	2.50
VL-4111	254x173	356.2	20	1.92
VL-4110	250x177	356.8	20	1.92
VL-3645	256x158	372	20	1.4
VL-3635	255x160	332.6	20	1.4
VL-3633	270x148	299	20	1.4
VL-3632	271x151	355.7	20	1.4
VL-3629	255x160	291.6	20	1.4
VL-3606	275x160	363	20	1.4
VL-3542	272x158	375.2	20	1.4
VL-3540	278x165	343.7	20	1.5
VL-3539	270x160	334.8	20	1.4
VL-3538	272x148	310	20	1.4
VL-3534	270x158	336.7	20	1.4
VL-3533	270x148	310.1	20	1.4
VL-3502	265x143	368.2	20	1.4
VL-3497	264x155	346.9	20	1.4
VL-3477	265x158	390	20	1.4
VL-3465	264x165	357	20	1.6
VL-3424	278x168	360.1	20	1.5
VL-3362	274x178	448	20	1.68
VL-3352	287x144	332	20	1.68
VL-3351	277x162	335	20	1.80
VL-1475	264x139	325	20	1.72
VL-1A65	280x143	291.6	20	1.5
VL-1A64	262x135	265.7	20	1.3

Vintage

Model No.	Size(mm)	Weight(g)	Un/CTN	Cuft
VL-8114S	262x221	634.5	10	1.91
VL-6188P	281x165	508	15	1.72
VL-6067P	281x165	540.1	15	1.72
VL-1962	272x153	307.7	20	2.0
VL-1418	273x151	320.2	20	2.00
VL-1356	275x155	284.3	20	1.67
VL-1221				

GRIPS

Clamp

VELO No.	Length(mm)	Pair/CTN	N.W./G.W./CUFT
VLG-2114D2	134.5	100	11/12/1.6
VLG-2100D2	134.8	100	11/12/1.6
VLG-2098-11D2	135	100	10/11/1.6
VLG-2096-11D2	133	100	9/10/1.6
VLG-2089D2	134.8	100	11/12/1.6
VLG-2085D2	134.8	100	11/12/1.6
VLG-1953D2	134.5	100	11/12/1.6
VLG-1887D2	134.8	100	11/12/1.6
VLG-1883D2	133	100	9/10/1.6
VLG-1862-11D2	130	253	10/11/1.52
VLG-1820-11D2	132	100	10/11/1.52
VLG-1816-11D2	135	100	10/11/1.52
VLG-1812D2	134.8	100	9.17/10.17/1.52
VLG-1745AD3	130	100	12.2/13.2/1.6
VLG-1661	132.6	120	9.6/11.10/2.35
VLG-1541	132.4	100	10.37/11.37/1.52
VLG-1535	135	50	7.58/8.42/1.52
VLG-1535-12D2	140	50	7.5/8.5/0.98
VLG-1389	133	100	7.76/8.76/1.6
VLG-1320	132	100	6.74/7.74/1.52
VLG-1226	132	100	10/11/1.52
VLG-1192	130	100	5.5/6.5/1.52
VLG-1189	140	50	12.11/13.11/1.67
VLG-1185AD3	138	50	14/15/1.72
VLG-975	132.3	120	12/13/2.08
VLG-884	132	100	10/11/1.52
VLG-852AD3-L2-G2	129	50	6.5/7.5/1.52
VLG-851	130	50	5.53/6.53/1.79
VLG-849AD3-L1-G2	148	50	14/15/1.72
VLG-776	132.8	120	15/16/2.35
VLG-775	129	50	6.5/7.5/1.52

Cruiser

VELO No.	Length(mm)	Pair/CTN	N.W./G.W./CUFT
VLG-1721	131	100	13.94/14.94/1.13

Cover

VELO No.	Length(mm)	Pair/CTN	N.W./G.W./CUFT
VLG-1863	131.5	50	8/9/1.52
VLG-1832AD2	125	100	7/8/1.52
VLG-1814-S1~S4	135	100	12/13/1.52
VLG-1782AD2	125	100	5.2/6.2/1.2
VLG-1731D3	131	100	13/14.4/1.52
VLG-1565	135	50	9.5/10.5/1.52
VLG-1168	125	100	14.19/15.19/1.52
VLG-892	128	50	5/6/1.8
VLG-649	135	50	8.5/9.5/1.14
VLG-617	127	100	8.34/9.34/2
VLG-520	175	100	13/14/1.3
VLG-519	134.5	50	7/8/1.6
VLG-142A	128	100	5/6/1.72
VLG-130A	400	50	5/6/3.9
VLG-039	135	100	6/7/1.52
VLG-030	125	100	10/11/1.52

BMX

VELO No.	Length(mm)	Pair/CTN	N.W./G.W./CUFT
VLG-2120D2	140	50	8/9/0.8
VLG-1872	128	200	9.3/10.3/2.65
VLG-1365-11D2-L1	144/76	100	4/5/1.5
VLG-1364-11D2-L1	50	100	5/6/1.5
VLG-1226	125	100	10.4/11.4/1.13
VLG-992	105	100	5/6/1.2
VLG-976	145	100	14.6/15.5/1.52
VLG-411	147	50	15/16/2

Silicone

VELO No.	Length(mm)	Pair/CTN	N.W./G.W./CUFT
VLG-2095AD3	132.3	100	11.5/12.5/1.8
VLG-2080AD3	132.3	100	11.5/12.5/1.8
VLG-2052D2	131.6	100	13.7/14.7/152
VLG-1941	130	100	11.3/12.2/1.52
VLG-1912A	137	100	11/12/1.52
VLG-1906A	130	100	5/6/1.52
VLG-1643A	127	50	5.7/6.7/1.52
VLG-048	127	100	10.8/11.8/1.52

Mountain Bike

VELO No.	Length(mm)	Pair/CTN	N.W./G.W./CUFT
VLG-1469AD3	129	100	11.5/12.5/1.8
VLG-992-1	130	100	10.82/11.82/1.9
VLG-975	125	100	9/10/1.52
VLG-609	130	100	10/11/1.13
VLG-298	125	100	13.5/14.5/2.39
VLG-207	125	100	9/10/1.13
VLG-185	130	100	11.35/12.35/1.13
VLG-172	122.3	100	8.52/9.52/1.52

Junior

VELO No.	Length(mm)	Pair/CTN	N.W./G.W./CUFT
VLG-2061D2	115	100	7/8/1.2
VLG-1979	115	100	8.8/9.8/1.3
VLG-1893	115	100	8.47/9.47/1.14
VLG-1851D2	116.2	140	9.94/10.94/2.35
VLG-902	82	100	6/7/1.13
VLG-901	82	180	10/12/1.13
VLG-696N	90	180	11/12/1.2
VLG-200	120	100	9/10/1.52
VLG-200(Cover)	120	100	10/11/1.52
VLG-105	125	100	17.5/18.5/1.52

Comfort

VELO No.	Length(mm)	Pair/CTN	N.W./G.W./CUFT
VLG-2094AD2	135	100	13.7/14.7/1.52
VLG-2063D2	135	100	13.7/14.7/1.52
VLG-1923	82	100	5.56/6.56/0.98
VLG-1888	100	180	14.4/18.5/4
VLG-1824D2	131.6	100	12.9/13.9/1.52
VLG-1679	125	50	9/10/1.6
VLG-1670	131.6	100	12.5/13.5/1.52
VLG-1605	132	80	14.3/16/1.67
VLG-1505	133	100	12/13/1.52
VLG-1389	130	100	13.6/14.6/1.52

Comfort

VELO No.	Length(mm)	Pair/CTN	N.W./G.W./CUFT
VLG-719	130	50	9/11/1.72
VLG-709	130	80	14/15/1.52
VLG-690(S)	134.5	80	8/9.3/1.27
VLG-690(L)	134.5	80	8/9.3/1.27
VLG-649	135	50	8.5/9.5/1.14

Microtech Texture

VELO No.	Length(mm)	Pair/CTN	N.W./G.W./CUFT
VLG-2090AD3	134.5	100	8.5/9.5/1.52
VLG-2083AD3	134.5	100	9/10/1.52
VLG-2078	135	100	3/4/1.4
VLG-2064D3	140	100	9/10/1.52
VLG-1985	131.6	100	13.7/14.7/1.52
VLG-1909	135	50	7/8/1.52
VLG-1891	141	100	10/11/1.6
VLG-1889D2	128.5	100	10.8/11.8/1.52
VLG-1880AD3	131.6	50	6/7/1.52
VLG-1879D2	138	80	12.6/13.6/1.44
VLG-1859	136	80	12.8/13.8/1.45
VLG-1839	140	80	10/11/1.82
VLG-1777D2	131.6	80	11/12/1.67
VLG-1670	131.6	80	9/10/1.67
VLG-864	129	50	6.14/7.14/1.79
VLG-864	129	80	7/8/1.82
VLG-130A	Any Size	75	4.5/5.2/1.52
VLG-059-6A	128	100	2.2/3.2/1.52
VLG-043	130	100	2.5/5.5/2.63

Foam Grips

VELO No.	Length(mm)	Pair/CTN	N.W./G.W./CUFT
VLG-075-2A	130	100	3/4/1.4
VLG-075	117	100	10.5/11.5/2.39
VLG-074B	130	100	4.3/5.3/1.52
VLG-048	127	100	10.8/11.8/1.52

TAPE**1000 Classic**

VELO No.	Pair/CTN	N.W./G.W./CUFT
VLT-1052	100	7.8/8.5/2.2
VLT-1051	100	7.8/8.5/2.2
VLT-1011	100	6/7/2.2
VLT-1001	100	7.5/8.5/2.2

2000 Leather-Looking

VELO No.	Pair/CTN	N.W./G.W./CUFT
VLT-2113	60	2.5/3.5/0.71
VLT-2087	100	7.5/8.5/2.5
VLT-2032D2-R	100	8.58/9.58/2.5
VLT-2032HD2	100	8.58/9.58/2.5
VLT-2032	100	10/11/2.2
VLT-2023HD2	100	7.4/8.4/2.2
VLT-2023	100	9.7/10.7/2.54
VLT-2019HD2	100	7/8/2.2
VLT-2019	100	9.7/10.7/2.54
VLT-2018	100	6/7/2.2
VLT-2005	100	6.5/7.5/2.3

3000 Hybird/Two-Tone+

VELO No.	Pair/CTN	N.W./G.W./CUFT
VLT-3114	100	10/11/2.51
VLT-3089HD2	100	10.3/11.3/2.2
VLT-3074	100	7.6/8.6/2.2
VLT-3055	100	6.5/7.5/2.2

5000 Anti-Slip

VELO No.	Pair/CTN	N.W./G.W./CUFT
VLT-5123	100	11/12/2.8
VLT-5122	100	11/12/2.8
VLT-5102HD2	100	12.5/13.6/2.56
VLT-5102	100	11/12/2.17
VLT-5095	100	5.5/7.5/2.4
VLT-5094	100	5.5/7.5/2.4
VLT-5073	100	7/8/2.2
VLT-5072	100	8.6/9.6/2.4
VLT-5055	100	6.5/7.5/2.2
VLT-5049	100	6.5/7.5/2.2

6000 Silicone

VELO No.	Pair/CTN	N.W./G.W./CUFT
VLT-6098	100	10.2/11.2/2.2
VLT-6097	100	10.2/11.2/2.2
VLT-6093	100	10.2/11.2/2.2
VLT-6083	100	22/23/2.2

7000 Other

VELO No.	Pair/CTN	N.W./G.W./CUFT
VLT-7120	100	10/11/2.51
VLT-7116	100	9/10/2
VLT-7115	100	12/13/3.2
VLT-7109	100	12/13/2.55
VLT-7092	100	7/8/2.2
VLT-7024	100	9/10/2.2

8000 ET Tape

VELO No.	Pair/CTN	N.W./G.W./CUFT
VLT-8121	100	13/14/2.9
VLT-8111	100	13/14/2.9

OTHERS

Saddle Covers

VELO No.	Pair/CTN	CUFT
VLC-983/983-1/983-2/983-4/983-5/983-6	300	• 2.9 • 2.63 • 2.63 • 2.4 • 1.8 • 3
VLC-321GF/322GF/323GF		
VLC-321MF/322MF/323MF		
VLC-321/322/323	20	
VLC-191/192		
VLC-171-1MF/172-1MF/173-1MF		
VLC-171MF/172MF/173MF		
VLC-171/172/173	20	• 1.04 • 1.29 • 1.03
VLC-060/061/062/063/064/066	20	• 1.62 • 1.23 • 1 • 1.07 • 0.92 • 0.85
VLC-050/051/052/053/054/056	20	• 1.31 • 1.04 • 0.85 • 1.03 • 0.84 • 1
VLC-040/041/042/043/044	20	• 1.77 • 1.29 • 1.14 • 1.5 • 1.38
VLC-030MF/031MF/032MF		
VLC-030/031/032/033/034/036	20	• 1.5 • 1.19 • 1.06 • 1.41 • 1.1 • 1
VLC-021-1MF/022-1MF/023-1MF		
VLC-021-1/022-1/023-1	20	• 1.22 • 0.83 • 1.17
VLC-020MF/021MF/022MF/023MF		
VLC-020/021/022/023/024	20	• 1.5 • 1.22 • 0.83 • 1.17 • 0.95

Plugs

VELO No.	Pair/CTN	N.W./G.W./CUFT
VLP-215	300	4.6/5.3/0.77
VLP-182	300	4.6/5.3/0.77
VLP-178		
VLP-171	2000	5.6/6.6/1.13
VLP-170	1000	11/12/1.79
VLP-137	500	10.2/11.2/1.52
VLP-134		
VLP-116	1000	8/9/1.2
VLP-87/87-1/87-2	1000	10/11/11.5
VLP-71	2000	15/16/3.02
VLP-69/69-1/69V2/69-1V2	5000	15/16/3.02
VLP-60	5000	15/16/3.02
VLP-59	5000	15/16/3.02
VLP-56/56-11/56-12/56V2		
VLP-56-10	1000	5.4/6.4/2
VLP-56-1	1000	6.5/7.5/2
VLP-53	500	8/9/1.13
VLP-49-2	1000	6.5/7.5/2
VLP-49-7	3000	12/13.6/2.63
VLP-49/49-1/49-5	3000	12/13/2.63
VLP-47-1	6000	16/17/2.63
VLP-47	6000	16/17/2.63
VLP-44/45/46		
VLP-40-9	1200	16/17/1.72
VLP-40-7	1200	16/17/1.72
VLP-40-6	1200	16/17/1.72
VLP-40	1200	20/21/1.72
VLP-36-2B	2000	5/6/3.02
VLP-36	6000	11.5/12.5/2.63
VLP-35/35V2	6000	11.5/12.5/2.63
VLP-31/32	6000	11/12/2.63
VLP-28	3000	5.5/6.5/1.13
VLP-15	1200	17/18/1.72
VLP-01	6000	13.5/14.5/2.63

Chain Stay Protectors

VELO No.	Pair/CTN	N.W./G.W./CUFT
VLF-012	500	
VLF-007	500	13/14/3.02
VLF-006-36		
VLF-006-2	500	8/1/2007
VLF-005	500	10/11/2.63
VLF-003-49		
VLF-003-36		
VLF-003-21	500	2.5/3.5/0.4
VLF-003-19		
VLF-003-2/003-5	500	
VLF-001KP2	500	10/11/2.63
VLF-001	500	10/11/2.63

Pivotal seatposts

VELO No.	Pair/CTN	N.W./G.W./CUFT
Ø27.2mm		
Ø25.4mm		
Ø22.2mm		

Gel Pads

VELO No.	Pair/CTN	N.W./G.W./CUFT
VLZ-050	100	2.2/3.2/1.52
VLZ-042	100	7.5/10/1
VLZ-037	100	12/13/1.72
VLZ-008	100	5.5/11/2.63